

AD A 089279

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Dote Entered)

REPORT DOCUMENTATION PAGE	READ INSTRUCTIONS BEFORE COMPLETING FORM
I. REPORT HUMBER	CCESSION NO. 3. RECIPIENT'S CATALOG NUMBER
NADC-79133-60 / AD-AOS	89279
. TITLE (and Subtitio)	S. TYPE OF REPORT & PERIOD COVERED
Maritime Patrol Aircraft Engine	
General Electric Derivative Eng	ines; Oct. 1978-Apr. 1979
Volume III, Appendix BPerform	R79AEG052
Data - TF34/T7 Study Al Turbopr	a. CONTRACT OF GRANT NUMBER(4)
R. Hirschkron	
R. H. Davis	N62269-78-C-0414
R. E. Warren	July 1
PERFORMING ORGANIZATION NAME AND ADDRESS	10. PROGRAM ELEMENT, PROJECT, TASK
General Electric Company	P.E. 65152N; AIRTASK
Aircraft Engine Group	A03P-03PA/001E/7W0880-001;
Lynn, Massachusetts 01910	Work Unit XM201
II. CONTROLLING OFFICE NAME AND ADDRESS	30 April 1979
Naval Air Development Center	13. NUMBER OF PAGES
Warminster, Pennsylvania 18974	80
14. MONITORING AGENCY NAME & ADDRESS(II dillerent from Contro	olling Office) 15. SECURITY CLASS. (of this report)
	Unclassified
	15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
Approved for public release, di	stribution unlimited.
17. DISTRIBUTION STATEMENT (of the obstract entered in Block 20,	If different from Report)
10. SUPPLEMENTARY NOTES	
19. KEY WORDS (Continue on reverse side if necessary and identify by	p bluck number)
	·
Aircraft Propulsion	Turbofan Engine
Derivative Engine	Turboshaft Engine
Maritime Patrol Aircraft.	Turboprop Engine
O. ABSTRACT (Continue on reverse side it necessary and identity by	block number)

This study developed data on General Electric common core derivative engines for use in Maritime Patrol Aircraft (MPA) concept formulation studies. The study included the screening of potential General Electric turbofan and turboprop/turboshaft engines and the preparation of technical

DD FORM 1473 EDITION OF 1 NOV 65 IS DESOLETE.

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered)

SECURITY CLASSIFICATION OF THIS PAGE(Then Date Entered)

and planning information on three of the most promising engine candidates. Screening of General Electric derivative candidates was performed utilizing an analytical MPA model using synthesized mission profiles to rank the candidates in terms of fuel consumption, weight, cost and complexity. The three turboprop engines selected for further study were as follows: TF34 growth derivative version with boost and new LPT (TF34/T7 Study Al), F404 derivative with booster stages and new LPT (F404/T1 Study Al), and GE27 scaled and boosted study engine (GE27/T3 Study Al). Volume I summarizes the screening analysis and contains technical, planning, installation, cost and development data for the three selected turboprop engines. Volumes II, III and IV of this report contain the detailed performance data estimates for the GE27/T3 Study Al, TF34/T7 Study Al and F404/T1 Study Al turboprop engines, respectively.

Accession For

NTIS GRA&I
DDC TAB
Unamounced
Justification

By
Pistuibation

Augil Whiting Godes
First checked

Contains Contains

Dist openial

Unclassified
SECURITY CLASSIFICATION OF THIS PAGE(When Dete Entered



TECHNICAL INFORMATION SERIES

VOLUME III

R. Hirschkron	SUBJECT	NO.			
R. H. Davis	MPA PROPULSION STUDY	R79AEG052			
R. E. Warren	FINAL REPORT	4/26/79			
TITLE 6.E	CLASS 3 SOVT. CLASS U	4.E. CLASS			
•	ON STUDY - FINAL REPORT VOLUMES)	Covt. CLASS Unclassified			
COPIES AVAILABLE PRO	M	NO. PAGES			
AEG TECHNIC	CAL INFORMATION CENTER 14001 EVENDALE N-32	80			
SUMMARY 6.	E CLASS 3 GOVT CLASS Uncla	assified			
Turboshaft performance and economic data is provided for three engines to report Maritime Patrol Aircraft (MPA) studies being carried out by airframe companies under USN contract. The three engines are the GE27/T3 Study A1, an advanced 8000 SHP engine, the TF34/T7 Study A1, an 9500 SHP derivative of a growth TF34 engine and the F404/T1 Study A1, a turboshaft derivative of the F404 turbofan engine in the 12500 SHP class.					
	Study Al, TF34/T7 Study Al, Turboprop, Turbosha				

CONTRACT NUMBER N62269-78-C-0414: SPONSOR	ING ORGANIZATION U. S. NAVY
APPROVED BY R. E. Neitzel N. F. W. (AUTHOR'S MANAGER)	Lynn Preliminary Design (ORGANIZATION)
DEPT./OPERATION AE&TPD	LOCATION Lynn, Mass.
AIRCRAFT ENGINE GROUP	

MPA PROPULSION STUDY

FINAL REPORT

APPENDIX B - TF34/T7 STUDY A1 PERFORMANCE DATA

(IN FOUR VOLUMES)

by

R. Hirschkron

R. H. Davis

R. E. Warren

April 26, 1979

Prepared for U. S. Navy under Contract N62269-78-C-0414

The performance data contained in this appendix is for the TF34/T7 Study Al engine. Tables are included which define the flight conditions and operating points, nomenclature and station designations.

All data is uninstalled and is based on a fuel heating value of 18400 Btu/lbm.

APPENDIX B

TF34 /T7STUDY A1

RAM RECOVERY =1, CUSTOMER BLEED =0, POWER EXTRACTION =0


Case No.	Alt.	Mo	Day	Power Se	etfings
1-6	0	0	STD	Max, IRP, MC,	Part Power
7-12	Ö	. 1	- 1		· · · · · · · · · · · · · · · · · · ·
13-18	o .	.2	1		
19-24	0 ~	. 3	1		
25-30	0	0	HOT		*
31-36	0	. 1	1		
37-42	0	. 2	i		
43-48	0	.3	1		
49-53	0	.4	STD	IRP, MC	Part Power
54-58	0	. 5			
59-63	0	.6			
64-68	0	.7	ĵ.		
69-73	0 .	.75			
74-78	0	. 8	j.		
80-84	5K	. 2	1.		े भी - क्षेत्र
85-89	5K	.3			- 9 - 1
90-94	5K	. 4			1
95-99	5K	. 5			•
100-104	5K	.6	1 '		•••
105-109	10K	. 2	-		•
110-114	10K	.3	į		
115-119	10K	. 4	1		
120-124	10K	. 5	1		
125-129	10K	.6	i		•
130-134	10K	.7	1		*
135-139	1,0K .	. 75			
140-144	10K	. 8	1		
145-149	15K	. 3	Í		•
150-154	15K	. 4	1		•
155-159	15K	.5	1		- 1
160-164	15K	.6	i	· •	• • •
165-169	15K	.7	l	, ,	· ·
170-174	15K	.75	1	:	
175-179	15K	. 8			
180-184	20K	.4	STD	. 1	
185-189	20K	.5	1		•
190-194	20K	.6]		
195-199	20K	.7	Ŷ		

Case No.	Alt.	Mo	<u>Day</u>	Power Settings
200-204	20K	.75	STD	IRP MC, Part Power
205-209	20K	.8	Ĩ	
210-214	25K	.4	- 1	
215-219	25K	.5	{	
220-224	25K	.6	f	!
225-229	25K	.7	†	
230-234	25K	.75	1	
235-239	25K	.8	- 1	
240-244	30K	. 4	1	
245-249	30K	. 5	1	
250-254	30K	.6		
255-259	30K	. 7	1	
260-264	30K	.75	 	
265-269	30K	. 8	1	•
270-274	35K	.5	}	
275-279	35K	.6	1	
280-284	35K	.7		
285-289	35K	.75	ſ	i ·
290-294	35K	. 8	:	
295-299	40K	.5	I	
300-304	40K	.6		
305-309	40K	. 7	1	
310-314	40K	. 75		- 4.
315-319	4 0K	. 8	1	1
320-324	45K	. 5	İ	
325-329	45K	. 6		\$
330-334	45K	.7	}	
335-339	45K	. 75	1	
340-344	45K	.8	4	. 🗸
345	0	0	TROP	MAX

APPENDIX	B NOMENCLATURE	
SYMBOL	DESCRIPTION	UNITS
CASE	Numerical data point identification	-
ALT	Geopotential pressure altitude	ft
XM	Flight Mach number	
ERAM1	Inlet ram recovery	-
WB3Q	Customer air bleed (fraction of Wl)	
PAMB	Ambient pressure	psia
TAMB	Ambient temperatures	o_R
DTAMB	Deviation from standard ambient temperature (ambient minus standard temperature)	$o_{\mathbf{F}}$
P2	First compressor inlet total pressure	psia
Т2	First compressor inlet total temperature	o_R
PWSD	Output shaft horsepower, delivered	hp
SFC	Specific fuel consumption (WFT/PWSD)	1bm/hr/hp
SFC EPWSD	Specific fuel consumption (WFT/PWSD) Equivalent output shaft horsepower, delivered	1bm/hr/hp hp
EPWSD	Equivalent output shaft horsepower, delivered	hp
EPWSD ESFC	Equivalent output shaft horsepower, delivered Equivalent specific fuel consumption (WFT/EPWSD)	hp lbm/hr/hp
EPWSD ESFC WFT	Equivalent output shaft horsepower, delivered Equivalent specific fuel consumption (WFT/EPWSD) Fuel flow rate	hp lbm/hr/hp lbm/hr
EPWSD ESFC WFT	Equivalent output shaft horsepower, delivered Equivalent specific fuel consumption (WFT/EPWSD) Fuel flow rate	hp lbm/hr/hp lbm/hr
EPWSD ESFC WFT FN	Equivalent output shaft horsepower, delivered Equivalent specific fuel consumption (WFT/EPWSD) Fuel flow rate Net thrust (in axial direction)	hp lbm/hr/hp lbm/hr lbf
EPWSD ESFC WFT FN W1	Equivalent output shaft horsepower, delivered Equivalent specific fuel consumption (WFT/EPWSD) Fuel flow rate Net thrust (in axial direction) Engine inlet airflow rate	hp lbm/hr/hp lbm/hr lbf lbm/sec
EPWSD ESFC WFT FN W1 W1R	Equivalent output shaft horsepower, delivered Equivalent specific fuel consumption (WFT/EPWSD) Fuel flow rate Net thrust (in axial direction) Engine inlet airflow rate Referred engine inlet airflow rate	hp lbm/hr/hp lbm/hr lbf lbm/sec lbm/sec
EPWSD ESFC WFT FN W1 W1R W2R	Equivalent output shaft horsepower, delivered Equivalent specific fuel consumption (WFT/EPWSD) Fuel flow rate Net thrust (in axial direction) Engine inlet airflow rate Referred engine inlet airflow rate Referred booster inlet airflow rate	hp lbm/hr/hp lbm/hr lbf lbm/sec lbm/sec
EPWSD ESFC WFT FN W1 W1R W2R P21Q2	Equivalent output shaft horsepower, delivered Equivalent specific fuel consumption (WFT/EPWSD) Fuel flow rate Net thrust (in axial direction) Engine inlet airflow rate Referred engine inlet airflow rate Referred booster inlet airflow rate Booster pressure ratio	hp lbm/hr/hp lbm/hr lbf lbm/sec lbm/sec
EPWSD ESFC WFT FN W1 W1R W2R P21Q2 ECL	Equivalent output shaft horsepower, delivered Equivalent specific fuel consumption (WFT/EPWSD) Fuel flow rate Net thrust (in axial direction) Engine inlet airflow rate Referred engine inlet airflow rate Referred booster inlet airflow rate Booster pressure ratio Booster adiabatic efficiency	hp lbm/hr/hp lbm/hr lbf lbm/sec lbm/sec

SYMBOL	DESCRIPTION	UNITS
PB3	Compressor discharge air bleed pressure	psia
твз	Compressor discharge air bleed temperature	o_R
EB	Combustor efficiency	
T41	HP turbine rotor inlet temperature	$\circ_{\mathbf{R}}$
DH41R	HP turbine referred energy function	Btu/lbm/OR
P41Q42	HP turbine pressure ratio	~
ЕТН	HP turbine adiabatic efficiency	-
T47	LP turbine rotor inlet temperature	OR
DH47R	LP turbine referred energy function	Btu/lbm/OR
P47Q5	LP turbine pressure ratio	-
ETL	LP turbine adiabatic efficiency	_
XNL	LP turbine rotor speed (output shaft speed)	rpm
GW3S42	Ratio of parasitic flow originating at station 3 and reentering at station 42 to compressor inlet flow.	<u>-</u>
GW3S49	Ratio of parasitic flow originating at station 3 and reentering at station 49 to compressor inlet flow.	-
GW2742	Ratio of parasitic flow originating at station 27 and reentering at station 42 to compressor inlet flow.	-
GW2749	Ratio of parasitic flow originating at station 27 and reentering at station 49 to compressor inlet flow.	-
GWLK3	Ratio of overboard leakage flow from station 3 to compressor inlet flow.	-
GHW27	Enthalpy fraction at station 27, (H27-H25)/(H3-H25)
PWPAR	High pressure rotor parasitic power	hp
P2125Q	Inter-compressor pressure loss	_
P3D41Q	Combustor pressure loss	_
P4247Q	Inter-turbine pressure loss	-
P5D8Q	Exhaust system pressure loss	-

SYMBOL	DESCRIPTION	UNITS
CD8	Exhaust nozzle flow discharge coefficient	-
CA8	Exhaust nozzle velocity coefficient	-
A8	Exhaust nozzle area	sq. in.
P8QAMB	Exhaust nozzle pressure ratio	-
T8	Exhaust gas temperature	\circ_{R}
W8	Exhaust gas flow rate	lbm/sec
P8	Exhaust gas pressure	psia



** TF34/T7 STUDY A1 **
ESTIMATED PERFORMANCE LYNN MASS. APRIL 26, 1979

	CASE	1.0000	2.0000	3.0000	4.0000	5.0000	6.0000
•	ALT	0.	0.	0	0.	0.	0.
1	XM	0.3	0.	0.	0.	0	0.
ı	ERAM1	1.0000	1.0000	120000	1.0000	1.0000	1.0000
	W830	0.	0.	0.	0.	0.	0.
	PAMB	14.696	14.696	142696	14,696	14.696	14.696
•	TAMB	518.67	518.67	518.67	518,67	518.67	518.67
	P2	14.696	14.696	14.696	14.696	14.696	14.696
	12	518.67	518.67	518.67	518,67	518.67	518.67
	PWSD	9536_3	8259.9	7532.2	5681.8	3855.6	2481.3
	EPWSD	10129.3	8758.1	7981.8	5989.6	4060.6	2619.1
	SFC	0.4216	0.4312	0.4392	0.4660	0.5087	0.5783
	ESFC	0.4061	0.4067	0.4144	0.4420	0.4831	0.5478
	WFT	4021.0	3561.7	3308.1	2647.5	1961.5	1434.8
~ ~ .	FN	1482.52	1245.50	1124-17	769.53	512.58	344.59
	W1	52.088	48.023	45.793	38.643	32.316	27.136
	XNL	11827.	11827.	11827.	10420.	8719.	7508.
Mary transfer and an ex-	P83	329.36	298.98	282.37	228,90	183.34	146.97
	TB3	1400.6	1361.6	1340.4	1259.9	1179.7	1108.5
	P8	17.354	16.907	16.681	16.041	15.576	15.287
***	TB	1509.3	1484.9	1470.6	1399.7	1335.3	1267.7

· · · -

1

1

1

A STATE OF

** TF34/T7 STUDY A1 **
ESTIMATED PERFORMANCE LYNN MASS. APRIL 26, 1979

CASE	7.0000	8.0000	9.0000	10.0000	11.0000	12.0000
ALT	0.	0.	0.	0.	0.	0.
XM	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000
ERAM1	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
WB3Q	0.	0.	0.	0.	0.	0.
PAMB	14.696	14.696	14_696	14.696	14.696	14.696
TAMB	518.67	518.67	518.67	518.67	518.67	518.67
PZ	14.799	14.799	14.799	14.799	14.799	14,799
72	519.71	519.71	519.71	519.71	519.71	519,71
PWSD	9581.6	8294.4	7565.9	5718.4	3882.4	2502.9
EPWSD	9914.3	8570.5	7813.0	5881.4	3985.4	2567.5
SFC	0.4206	0.4303	0.4381	0.4643	0.5067	0.5752
ESFC	0.4065	0.4164	0.4243	0.4514	0.4936	0.5607
WFT	4030.0	3568.7	3314.9	2654.9	1967.3	1439.6
FN	1310.47	1087.68	973.20	642,21	405.98	254.63
W1	52.229	48.143	45.912	38.780	32.443	27.258
XNL			11827.	10407.	8711.	7506.
"	11827.	11827.		229,72	184.07	147.63
P83	330.25	299.72	283.10		1180.9	1109.7
783	1401.3	1362.4	1341.2	1260.9		
P8	17.362	16.919	16.691	16.049	15.583	15.292
78	1508.5	1484.3	1469.9	1398.6	1334.2	1266.6

** TF34/T7 STUDY A1 **
ESTIMATED PERFURMANCE LYNN MASS. APRIL 26, 1979

	CASE	13.0000	14.0000	15.0000	16.0000	17.0000	18,0000
	ALT	نے 0	0.	0.	0.	0.	0.
	XM	0.2000	0.2000	0.2000	0.2000	0.2000	0.2000
	ERAM1	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
	WB3Q	0.	0.	02	0.	0.	0.
	PAMB	14,696	14.696	14.696	14.696	14.696	14,696
	TAMB	518.67	518.67	518.67	518.67	518.67	518.67
	. P2	15.112	15.112	15-112	15,112	15.112	15,112
	72	522.83	522.63	522.83	522,83	522.83	522.83
	PWSD	9703.58	8403.3	7668.2	5829.2	3963.0	2568.5
	EPHSD	10287.5	8879.6	8089.4	6094.3	4117.6	2653.5
	8FC	0.4178	0.4273	0.4350	0.4594	0.5008	0.5661
	ESFC	0.3941	0.4044	0.4123	0.4394	0.4820	0.5480
	. WFT	4054.3	3590.8	3335.3	2677.9	1984.6	1454.1
••	FN	1149.80	938.24	829.71	522-03	304.44	167.47
	W1	52.602	48.520	46.266	39.211	32.825	27.626
	XNL	11827.	11827.	11827.	10374.	8688	7503.
-	PB3	332.62	302.07	285.29	232,27	186.23	149.61
	783	1403.1	1364.9	1343.5	1264.2	1184.4	1113.1
	P8	17.401	16.949	16.718	16.074	15.605	15.305
• •	T6	1506.9	1462.3	1468.0	1395.4	1331.1	1203.3

** TF34/T7 STUDY A1 **
ESTIMATED PERFORMANCE LYNN MASS. APRIL 26, 1979

	CASE	19.0000	20.0000	21,0000	22.0000	23.0000	24.0000
	ALT	نے 0	0 -	0.	0.	0.	0.
	XM	0.3000	0.3000	0.3000	0.3000	0.3000	0.3000
	ERAM1	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
	WB 30	0.	0.	0.	0.	0.	0.
	PAMB	14.696	14.696	14.696	14.696	14.696	14.696
	TAMB	518.67	518.67	518.67	518.67	518.67	518,67
•	PZ	15.644	15.644	15.644	15.644	15.644	15.644
	. T2	528.04	528.04	528.04	528,04	528.04	525,04
	PWSD	9893.2	8579.0	7833.0	6011.8	4098.0	2676.0
	EPWSD	10650.5	9184.3	8359.8	6320.6	4255.2	2738.5
	SFC	0.4135	0.4226	0.4299	0.4516	0.4913	0.5525
	ESFC	0.3841	0.3948	0.4028	0.4295	0.4731	0.5399
	WFT	4091_2	3625.6	3367.7	2714.7	2013.3	1478.4
	FN	994.41	794.83	691,66	405.52	206.39	82.02
	W1	53.187	49.114	46.840	39.904	33.463	28.245
	XNL	11827.	11827.	11827.	10302.	8648.	7497
	PB3	336.31	305.77	288.83	236.37	189.85	152.95
	783	1406.2	1368.7	1347.4	1269.4	1190.2	1118.8
	P8	17.457	17.002	16.765	16.117	15.644	15.332
Tarak at Majaga	TB	1504.5	1479.4	1465.0	1390.2	1326.1	1258.3

** TF34/TT STUDY A1 **
ESTIMATED PERFURMANCE LYNN MASS. APRIL 26, 1979

	CASE	25.0000	26.0000	27.0000	28.0000	29.0000	30.0000
	ALT	0	0 •	0.	0.	0.	0.
	XM	0.	0.	0	0.	0.	0.
Į	ERAM1	1-0000	1.0000	1.0000	1.0000	1.0000	1.0000
	WB3Q	0.	0.	0	0.	0.	0.
1	PAMB	14.696	14.696	14.696	14.696	14.696	14.696
1	TAMB	562.67	562.67	562.67	562-67	562.67	562.67
•	P2	14,696	14.696	14.696	14.696	14.696	14.696
	T2	562.67	562.67	562367	562,67	562.67	562.67
4	PWSD	7061.3	6203.8	5769.0	4314.0	2818.1	1706.5
•	EPWSD	7461.0	6550.0	6090.0	4536.0	2965.0	1803.0
	SFC	0,4513	0.4615	0.4665	0.5015	0,5674	0.6763
1	ESFC	0.4271	0.4371	0.4418	0.4770	0.5391	0.6400
)	WFT	3186.9	2862.9	2691.3	2163.5	1598.9	1154.0
	FN	1001.34	869.28	804.08	555,77	369.56	243,48
•	Wi	41.725	39.242	37,1979	32.261	26.936	55.583
	XNL	11827.	11414.	11081.	9418.	8022.	6938.
—	P83	263,96	244.40	234.31	191-26	152.95	120.86
•	TB3	1417.1	1386.3	1368.6	1288.8	1209.2	1132.9
•	P8	16.452	16.212	16,095	15,655	15.324	15.110
!	TB	1569.5	1538.5	1517.7	1447.3	1387.1	1325.4

** TF34/T7 STUDY A1 **
ESTIMATED PERFORMANCE LYNN MASS. APRIL 26, 1979

	CASE	31,0000	32,0000	33,9000	34.0000	35.0000	36.0000
	ALT	0.	0.	0.	0.	0.	0.
!	XM	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000
₩.	ERAM1	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
	WB3Q	0.	0.	0.	0.	0.	0.
1	PAMB	14.696	14.696	14.696	14.696	14.696	14,696
•	TAMB	562.67	562.67	562.467	562.67	562.67	562,67
	P2	14.799	14.799	14.799	14.799	14,799	14.799
	72	563.80	563.80	563,80	563,80	563.80	563.80
5	PWSD	7095,19	6243.2	5805.6	4343.1	2840.3	1727.6
•	EPHSD	7322.9	6437.7	5983.8	4460.7	2914.0	1771.2
	SFC	0.4502	0.4599	0.4649	0.4995	0.5649	0.6709
I	ESFC	0.4362	0.4460	0.4511	0.4864	0.5506	0.6544
	HFT	3194.3	2871.3	2699.0	2169.6	1604.4	1159.1
-	FN	858.62	735.84	674.14	444_82	279.00	164,81
1	W1	41.849	39.388	38.117	32.383	27,064	22.421
I	XNL	11827.	11402.	11068.	9407.	8022.	6945.
	P83	264.74	245.31	235.16	191.98	153.68	121,61
•	783	1418.1	1387.5	1369.8	1290.0	1210.7	1134.8
1	På	16,463	16.224	16.104	15.662	15.337	15.108
T	T8	1568.7	1537.3	1516.6	1446.2	1385,9	1323.6

** TF34/T7 STUDY A1 **
ESTIMATED PERFORMANCE LYNN MASS. APRIL 26, 1979

	CASE	37.0000	38.0000	39:0000	40.0000	41.0000	42,0000
	ALT	0.	0.	0.	0.	0.	0.
	~ XM	0.2000	0.2000	0.2000	0.2000	0.2000	0.2000
	ERAM1	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
	WB30	0.	0.	0.	0.	0.	0.
	PAMB	14.696	14.696	14,696	14.696	14.696	14,696
	TAMB	562.67	562.67	562.67	562.67	562.67	562.67
	P2	15,112	15.112	15-112	15.112	15.112	15.112
	12	567.18	567.18	567.18	567-16	567.18	567.18
	PWSD	7197.3	6361-5	5915.7	4431.7	2911.2	1782.7
	EPWSD	7578.9	6663.6	6207.4	4610.2	3010.3	1831.3
	SFC	0.4466	0.4552	0.4602	0.4937	0.5564	0.6574
	ESFC	0.4241	0.4332	0.4385	0.4746	0.5380	0.6400
•	WFT	3214.5	2895.6	2722.2	2187.9	1619.6	1172.0
	PN	721.67	609.31	551,70	337,64	187.48	91.80
	W1	42.187	39,809	38.534	32.748	27.423	22.778
	XNL	11627.	11361-	11032.	9373.	8017.	6956.
	PB3	266.87	247.93	237.73	194,15	155.71	123,54
	783	1420.8	1390.8	1373.1	1293.6	1214.9	1139.5
	PB	16_488	16.252	16-132	15.678	15.346	15.127
	T8	1566,4	1533.8	1513.3	1442.8	1382.1	1319.3

** TF34/T7 STUDY A1 **
ESTIMATED PERFORMANCE LYNN MASS. APRIL 26, 1979

CVSÉ	43.0000	44.0000	45.0000	46.0000	47.0000	48.0000
ALT	ن ٥	0.	0.	0.	0.	0.
XM	0.3000	0.3000	0.3000	0.3000	0,3000	0.3000
ERAMI	1.0000	1.0000	1.0000	1,0000	1.0000	1.0000
WB3G	0.	0.	0.	0.	0.	0.
PAMB	14.696	14.696	14.696	14,696	14.696	14.696
TAMB	562.67	562.67	562.67	562,67	562.67	562.67
P2	15.643	15.643	15,643	15.643	15.643	15.643
12	572.82	572.82	572.82	572,82	572.82	572,82
PWSD	7369.0	6560.5	6098.3	4579.9	3028.4	1877.3
EPWSD	7836.7	6948-1	6444.8	4765.6	3107.8	1689.9
SFC	0.4408	0.4476	0:4528	0.4844	0.5433	0.6358
ESFC	0.4145	0.4227	0.4284	0.4656	0.5294	0,6315
MFT	3248.4	2936.7	2761.1	2218.7	1645.3	1193.6
FN	589.74	488.78	436.98	234-17	100.08	15,94
W1	42.756	40.525	39.236	33.369	28.032	23.382
XNL	11827.	11296.	10974.	9324.	8009.	6973.
P83	270.47	252.37	242.05	197.84	159.16	126,60
183	1425.3	1396.3	1378.7	1299.7	1221.8	1147.5
PB	16.529	16.303	162190	15.712	15.376	15.146
TB	1562.6	1528.1	1508.1	1437.4	1376.1	1312.0

ESTIMATED PERFORMANCE LYNN MASS. APRIL 26, 1979

1	CASE	49.0000	50.0000	51.0000	52.0000	53.0000
profession of the	ALT	0.	0.	0.	0.	0.
j.	XM	0.4000	0.4000	0.4000	0.4000	0.4000
•	ERAM1	1.0000	1.0000	1.0000	1.0000	1.0000
the state of the s	WB30	0.	0.	0.	0.	0.
	PAMB	14.696	14.696	14,696	14.696	14.696
	TAMB	518.67	518.67	518.67	518,67	518.67
	PZ	16.410	16.410	16_410	16.410	16.410
	TŽ	535.33	535,33	535.33	535,33	535.33
ı	PWSD	8831.5	8095.8	6266.1	4296.6	2828.0
****	EPWSD	9497.6	8665.0	6562.8	4400.7	2819.9
	SFC	0.4162	0.4224	0-4413	0.4780	0.5341
	ESFC	0.3870	0.3946	0.4214	0.4667	0.5356
.,	WFT	3675.5	3419.5	2765.4	2053.8	1510.3
1	FN	656.07	560.56	292.18	102,50	-7.90
	W S	49.973	47.761	40.864	34.371	29,111
	XNL	11827.	11762.	10193.	8595.	7487.
	PB3	311.11	294.50	242.07	195.01	157.66
	TB3	1374.2	1353.6	1276.5	1198.3	1127.8
	PB	17.077	16.842	16.183	15.676	15.359
	78	1475.3	1459.6	1383.4	1318.8	1250.6

** TF34/T7 STUDY A1 **
ESTIMATED PERFORMANCE LYNN MASS. APRIL 26, 1979

CASE	54.0000	55.0000	56.0000	57.0000	58.0000
ALT	0.	0.	0.	0.	0.
XM	0.5000	0.5000	0.5000	0.5000	0.5000
ERAM1	1.0000	1.0000	1.0000	1,0000	1.0000
WB3Q	0.	0.	0.	0.	0.
PAMB	14.696	14.696	14.696	14.696	14.696
TAMB	518.67	518.67	518.67	518,67	518.67
P2	17.435	17.435	17.435	17.435	17.435
12	544.69	544.69	544.69	544.69	544.69
PWSD	9145.6	8470.8	6601.2	4547.2	3023.6
EPWSD	9802.3	9021.7	6827.2	4551.4	2901.3
SFC	0.4084	0.4124	0.4289	0.4630	0.5129
ESFC	0.3810	0.3872	0.4147	0.4625	0.5345
WFT	3735.1	3493.2	2831.2	2105.1	1550.8
FN	517.42	433.97	178.09	3.28	-96.42
			42,124	35.538	30.232
W1	51.012	49.075	10056.	8525.	7470.
XNL	11827.	11605.		201-64	163.75
PB3	317.58	302.61	249.53		1139.1
183	1381.0	1362.2	1285.6	1208.4	
P8	17.169	16.951	16-268	15.749	15.415
TB	1470.5	1451.7	1374.8	1310.5	1241.4

** TF34/T7 STUDY A1 **
ESTIMATED PERFORMANCE LYNN MASS. APRIL 26, 1979

	CASE	59.0000	60.0000	61.0000	65.0000	63.0000
	ALT	0.	. 0.	0.	0.	0.
· ·	XM	0.6000	0.6000	0.6000	0.6000	0.6000
•	ERAM1	1.0000	1.0000	1.0000	1.0000	1.0000
	WB30	0.	0.	0.	0.	0.
	PAMB	14.696	14.696	14-696	14.696	14.696
	TAMB	518.67	518.67	518.67	518.67	518.67
	P2	18.749	18.749	18.749	18.749	18.749
ı	T2	556.13	556.13	556.13	556-13	556.13
l	PWSD	9569.3	8935.8	7005.6	4857.5	3261.5
	EPWSD	10153.9	9404.4	7092.0	4703.7	2969.3
•	SFC	0.3988	0.4010	0.4153	0.4463	0.4899
	ESFC	0.3759	0.3810	0.4102	0.4609	0.5381
	WFT	3816.4	3583.3	2909.3	2168.0	1597.8
	FN	383.79	307.62	56.70	-100.99	-191.82
	W1	52.434	50.697	43.646	36.989	31,558
	XNL	11768.	11416.	9882.	8442.	7437.
	PB3	326.43	312.62	258.56	209.88	170.94
ı <i>'</i>	TB3	1389.9	1372.5	1296.5	1220.7	1152.1
	P8	17.301	17.090	16-356	15.834	15.478
ı	TB	1463.7	1442.6	1365.4	1300.9	1231.4

TF34/T7 STUDY A1 ## ESTIMATED PERFURMANCE LYNN MASS. APRIL 26, 1979

CASE	64.0000	65.0000	66.0000	67.0000	68.0000
 ALT	0.	0.	0.	0.	0.
XM	0.7000	0.7000	0.7000	0.7000	0.7000
ERAM1	1.0000	1.0000	1.0000	1,0000	1.0000
 WB30	0.	0.	0.	0.	0.
PAMB	14,696	14.696	14.696	14.696	14.696
TAMB	518.67	518.67	518.67	518.67	518.67
P2	20.390	20.390	20.390	20.390	20.390
72	569.65	569.65	569,65	569,65	569.65
PWSD	10150-1	9520.4	7469.2	5225.3	3541.8
EPWSD	10603.5	9845.6	7356.1	4841.1	3014.2
SFC	0.3871	0.3885	0.4016	0.4287	0.4659
ESFC	0.3706	0.3756	0.4077	0.4627	0.5475
WFT	3929.4	3698.3	2999.3	2239.9	1650.2
FN	255.15	182.97	-63.68	-216.24	-296.95
W1	54.421	52.767	45,424	38,667	33.092
 XNL	11544.	11226.	9669.	8331.	7386.
PB3	338.81	325.40	269.11	219-41	179.26
TBS	1401.8	1364.7	1308.8	1234.4	1166.8
 P8	17.486	17.274	16.487	15.918	15.544
TB	1454.0	1432.1	1356.1	1290.8	1220.7

** TF34/T7 STUDY A1 **
ESTIMATED PERFORMANCE LYNN MASS. APRIL 26, 1979

CASE	69.0000	70.0000	7120000	72.0000	73.0000
ALT	0.	0.	. 0.	0.	0.
XM	0.7500	0.7500	0-7500	0.7500	0.7500
ERAMI	1.0000	1.0000	1.0000	1.0000	1.0000
WB 3Q	0.	0.	0 -,	0.	0,
PAMB	14.696	14.696	14.696	14.696	14.696
TAMB	518.67	518.67	518.57	518-67	518.67
P2	21.349	21.349	21.349	21.349	21.349
T2	577.19	577.19	577.19	577.19	577.19
PWSD	10194.2	9849.4	7729.7	5433.3	3700.0
EPWSD	10495.2	10077.1	7496.8	4915.2	3029.5
SFC	0.3814	0.3820	0:3946	0.4198	0.4539
ESFC	0.3705	0-3734	0-4069	0.4640	0.5543
WFT	3888.1	3762.8	3050.3	2280.7	1679.2
FN	158,12	119.57	-122.30	-272-11	-352.16
W1	54.853	53.943	46.451	39.637	33,958
ΧΝĹ	11294.	11125.	9575.	8285.	7357.
PB3	340.00	332.65	275.21	224.92	183.95
TB3	1400-7	1391-4	1315.9	1242.2	1175.0
P8	17.499	17.381	16.577	15.985	15.585
T8	1438-4	1426.7	1351.3	1285.5	1215.1

** TF34/T7 STUDY A1 **
ESTIMATED PERFORMANCE LYNN MASS. APRIL 26, 1979

CASE	74.0000	75.0000	76.0000	77.0000	78.0000
ALT	. 0,	. 0.	0.	0.	0.
XM	0,8000	0.8000	018000	0.8000	0,8000
ERAMI	1.0000	1.0000	150000	1.0000	1.0000
WB3Q	0.	0.	0.	0.	0.
PAMB	14.696	14.696	14.696	14.696	14.696
TAMB	518.67	518.67	518.67	518-67	518.67
P2	22,409	22.409	22.409	22.409	22.409
72	585.24	585.24	585.24	585-24	585.24
PWgD	10181.7	10181.5	8014.9	5659.3	3872.1
EPWSD	10291.5	10291.6	7629.9	4985.6	3039.7
SFC	0.3760	0-3760	0-3873	0.4107	0.4417
ESFC	0.3719	0.3719	0-4068	0.4662	0.5627
WFT	3827_8	3827.8	3104.1	2324.0	1710.5
FN	54.07	54.20	-189.59	-331.75	-409.87
W1	55.151	55.151	47.550	40.686	34.895
XNL	11011.	11011.	9472.	8245.	7326.
PB3	340.00	340.00	281.73	230.89	189.04
T83	1398-1	1398.1	1323.5	1250.5	1183.7
PB	17.495	17.496	16.647	16.053	15.630
T8	1421.0	1421.0	1346.0	1280.0	1209.3

JOSE E. C.

3

1

1

I

-

** TF34/T7 STUDY A1 **
ESTIMATED PERFURMANCE LYNN MASS. APRIL 26, 1979

	CASE	80.0000	81.0000	82.0000	83.0000	84.0000
•	ALT	5000.0	5000.0	5000.0	5000.0	5000.0
The state of the s	" XM	0.2000	0.2000	0.2000	0.2000	0.2000
1	ERAMI	1.0000	1.0000	1.0000	1.0000	1.0000
•	W830	0.	0.	0.	0.	0.
	PAMB	12.228	12.226	12.228	12.228	12,228
1	TAMB	500.84	500.84	500.84	500.84	500.B4
)	P2	12.574	12.574	12.574	12.574	12.574
	15	504.86	504.86	504.86	504-86	504.86
1	PWSD	7889.8	7226.4	5391.4	3735.1	2435.9
¥ .	EPWSD	8361.4	7642.6	5645.5	3888.1	2522.9
-	SFC	0.4170	0.4227	0.4482	0.4824	0.5415
	ESFC	0.3935	0.3997	0.4280	0.4634	0.5228
i	WFT	3290.0	3054.4	2416.6	1801.8	1319.0
	FN	945.19	834.22	509.28	306,78	174.33
	MI	44.243	42.108	35.041	29.471	24.750
?	XNL	11827.	11827.	10700.	9020.	7698.
1	PB3	275.47	259,69	207.61	167,22	134.09
	783	1357.5	1334.2	1250.9	1172.0	1101.2
1	PB	14.455	14.217	13.529	13.101	12.816
	T8	1459.4	1444.6	1377.8	1310.3	1243.0

** TF34/T7 STUDY A1 **
ESTIMATED PERFORMANCE LYNN MASS. APRIL 26, 1979

	ÇASE	85.0000	86.0000	87.0000	88.0000	69.0000
,	ALT	5000.0	5000.0	5000.0	5000.0	5000.0
	XM	0.3000	0.3000	023000	0.3000	0.3000
Į.	ERAM1	1.0000	1.0000	1.0000	1.0000	1.0000
•	WB3Q	0.	0.	0.	0.	0.
	PAMB	12,228	12.228	12.228	12.228	12.228
į.	TAMB	500.84	500.84	500.84	500.84	500.84
ţ	PZ	13,016	13.016	13.016	13.016	13.016
-	72	509.89	509.89	509.69	509,89	509.89
t	PWSD	8068.7	7375.4	5555.4	3857.7	2536,8
Į.	EPWSD	8682.5	7908.6	5861.6	4020.8	2609.5
	SFC	0.4123	0.4181	0-4411	0.4737	0.5285
Á	ESFC	0.3831	0.3899	0.4181	0.4545	0.5138
	WFT	3326.7	3083.9	2450.6	1827.3	1340.8
	FN	820.18	712.54	409.19	217.93	97.17
	WS	44.840	42.621	35.665	30.027	25.304
•	XNL	11827.	11827.	10637.	8969.	7692.
	PB3	279.18	262,85	211231	170.38	137.08
	TB3	1361.1	1338.0	1255.9	1177.3	1107.1
1	PB	14.509	14.263	13.572	13.126	12.832
	TB	1456.2	1441.8	1372.8	1305.6	1237.5

** TF34/T7 STUDY A1 **
ESTIMATED PERFURMANCE LYNN MASS. APRIL 26, 1979

CASE	90.0000	91.0000	92.0000	93.0000	94.0000
ALT	5000.0	5000.0	5000.0	5000.0	5000.0
XM T	0.4000	0.4000	0.4000	0.4000	0.4000
ERAM1	1.0000	1.0000	1.0000	1.0000	1.0000
WB3Q	0.	0.	0.	0.	0.
PAMB	12.228	12.228	12.228	12.228	12.228
TAMB	500.84	500.84	500.84	500.84	500.84
P2	13.654	13.654	13.654	13.654	13.654
72	516.93	516.93	516-93	516.93	516.93
PWSD	8280.3	7588.9	5786.8	4028.8	2674.7
EPWSD	8972.8	8182.6	6097.8	4158.3	2695.7
SFC	0.4065	0.4119	0.4317	0.4623	0.5123
ESFC	0.3751	0.3820	0.4096	0.4479	0.5083
NFT	3365.6	3126.1	2497.9		
FN	693,99			1862.5	1370.2
W1		595.01	311.58	129.82	21.03
	45,478	43.358	36,538	30.797	26.059
XNL	11827.	11827.	10548.	8893.	7677.
PB3	283.16	267.39	216.48	174,75	141.15
TB3	1364.9	1343.3	1262.8	1184.5	1115.0
PB	14,571	14.329	13.633	13.164	12.864
78	1453.2	1437.8	1366.2	1299.3	1230.5

** TF34/T7 STUDY A1 **
ESTIMATED PERFORMANCE LYNN MASS. APRIL 26, 1979

*****	CASE	95.0000	96.0000	97.0000	98.0000	99.0000
,	ALT	5000.0	5000.0	5000.0	5000.0	5000.0
	XM	0.5000	0.5000	0.5000	0.5000	0.5000
ļ.	ERAM!	1.0000	1.0000	1.0000	1.0000	1.0000
•	WB30	0.	0.	0.	0.	0.
**************************************	PAMB	12,228	12.228	12.228	12.228	12,228
	TAMB	500.84	500.84	500,84	500.84	500.84
	P2	14.507	14.507	14.507	14.507	14.507
	T2	525.98	525.98	525.98	525,98	525.98
!	PHSD	8560.5	7871.3	6090.8	4247.1	2856.9
	EPWSD	9273.6	8469.6	6358.7	4302.6	2784.8
	SFC	0.3994	0.4042	0.4203	0.4491	0.4931
)	ESFC	0.3687	0.3756	0.4025	0.4433	0.5058
	WFT	3419.1	3181.3	2559.7	1907.5	1408.6
T-7000	FN	571.91	479.65	214.80	44.52	-57.76
	W1	46.375	44.328	37.693	31.800	27.045
	XŇL	11827.	11827.	10446.	8811.	7657.
	P83	288.75	273.37	223.32	180.45	146.47
	TB3	1370-6	1350.1	1271.8	1194.2	1124.7
	P8	14,656	14.414	13.715	13.231	12,906
	18	1449.0	1432.7	1357.8	1291.6	1555.5

** TF34/T7 STUDY A1 ** ESTIMATED PERFORMANCE LYNN MASS. APRIL 26, 1979

Management of the contract of	CASE	100.0000	101.0000	102.0000	103,0000	104.0000
	ALT	5000.0	5000.0	5000.0	5000.0	5000.0
	XM	0-6000	0.6000	0.6000	0.6000	0.6000
	ERAM1	1.0000	1.0000	1.0000	1.0000	1,0000
	WB3Q	0.	0.	0.	0.	0.
	PAMB	12.228	12.228	12.228	12.228	12,228
	TAMB	500.84	500.84	500.84	500.84	500.84
	PZ	15.600	15.600	15.600	15.600	15.600
-	15	537.04	537.04	537.04	537.04	537.04
	PWSD	8908.7	8207.7	6458.4	4522.5	3070.5
	EPHSD	9589.5	8754.9	6632.0	4454.0	2862.1
-	SFC	0.3915	0.3954	0.4074	0.4340	0.4727
	ESFC	0.3637	0.3707	0.3967	0.4407	0.5071
	WFT	3487.3	3245.3	2631.2	1962.7	1451.4
	PN	454.89	365.59	116.02	-45.75	-139.24
	N1	47,553	45.471	39.054	33.047	28.219
	XNL	11827.	11814.	10281.	8712.	7621.
-	PB3					
		296.05	280.41	231,38	187.53	152.85
	TB3	1378.6	1358.2	1282.3	1205.8	1137.3
	P8	14.776	14.525	13-816	13.305	12.966
	T8	1444.0	1427.0	1348.4	1282.5	1212.5

** TF34/T7 STUDY A1 ** ESTIMATED PERFORMANCE LYNN MASS. APRIL 26, 1979

	CASE	105.0000	106.0000	107.0000	108.0000	109.0000
	ALT	10000.0	10000.0	10000.0	10000.0	10000.0
	XM	0.2000	0.2000	0.2000	0.2000	0.2000
	ERAM1	1.0000	1.0000	1-0000	1.0000	1.0000
	W830	0.	0.	0.	0.	0.
٠	PAMB	10.106	10.106	10.106	10.106	10.106
	TAMB	483.01	483.01	483.01	483.01	483.01
	P2	10.393	10.393	10.393	10.393	10.393
	T2	486.89	486.89	486.89	486.89	486.89
	PWSD	7298 -1	6710.1	4960.3	3467.2	2287.2
	EPWSD	7758.7	7116.2	5205.0	3615.6	2371.7
	SPC	0.4096	0.4134	0.4388	0.4686	0.5196
	ESFC	0.3853	0.3898	0.4182	0.4493	0.5011
	HFT	2989.5	2774.0	2176.6	1624.6	1188.5
	FN	939.96	828.78	499.42	302.75	172.38
	W1	40,003	38.029	31,241	26.248	21.989
	XNL	11827.	11827.	11067.	9393.	7924.
	PB3	249.12	234.59	185.12	148.96	119,19
	183	1349.9	1325.8	1237.5	_ : -	1087.1
	PB	12.290	12.048	11-347	10.933	10.652
	TB	1439.4	1423.3	1361.0	1291.8	1224.2

** TF34/T7 STUDY A1 **
ESTIMATED PERFORMANCE LYNN MASS. APRIL 26, 1979

-	CASE	110.0000	111.0000	112.0000	113.0000	114.0000
•	ALT	10000.0	10000.0	10000.0	10000.0	10000.0
8	XM	0.3000	0.3000	0.3000	0.3000	0.3000
	ERAMI	1.0000	1.0000	1.0000	1,0000	1.0000
•	WB3Q	0.	0.	0.	0.	0,
	PAMB	10.106	10.106	10,106	10.106	10,106
Ì	TAMB	483.01	483.01	483.01	483.01	483.01
7	P2	10.758	10.758	10.758	10.758	10.758
410000	T2	491.74	491.74	491374	491.74	491.74
l	PWSD	7450_9	6856.1	5105.1	3581.2	2374.0
Į	EPWSD	8060_6	7387.8	5408.2	3746.1	2452.2
	8FC	0.4055	0.4090	0.4320	0.4602	0.5064
,	ESFC	0.3748	0.3796	0.4078	0.4397	0.4922
ł	WFT	3021_0	2804.2	2205.5	1648.1	1207.0
(<u>.</u>	FN	829.56	723.47	412334	227.08	106.35
	W1	40.506	38.525	31.767	26.748	22,455
	XNL	11827.	11827.	10994.	9334.	7901.
e competition .	PB3	252.25	237.64	188.24	151.79	121.71
	783	1353.0	1329.0	1242.3	1164.1	1092.9
	PB	12.338	12.094	11.386	10.960	10.669
 '	T8	1436.8	1420.5	1356.1	1286.8	1218.9

** TF34/T7 STUDY A1 **
ESTIMATED PERFORMANCE LYNN MASS. APRIL 26, 1979

ÇASE	115.0000	116.0000	117,0000	118,0000	119.0000
ALT	10000.0	10000.0	10000.0	10000.0	10000.0
XM	0.4000	0.4000	0.4000	0.4000	0.4000
ERAMI	1.0000	1.0000	1.0000	1.0000	1.0000
WB3Q	0.	0.	0.	0.	0.
BMAS	10.106	10.106	10.106	10.106	10,106
TAMB	483,01	483.01	483.01	483.01	483.01
P2	11.286	11.286	11.286	11.286	11.286
T2	498.53	498.53	498.53	498,53	498.53
PHSD	7663.4	7063.6	5309.2	3740.7	2493.3
EPWSD	8373.5	7675.7	5630.5	3890.0	2534.8
SFC	0.3999	0.4031	0.4230	0.4492	0.4943
ESFC	0.3660	0.3710	0.3989	0.4319	0.4862
WFT	3064_4	2847.4	2245.9	· · · · · · · · · · · · · · · · · · ·	1232.4
FN '	724.64	624.54	327.86	152.37	42.32
WS	41.199	39,239	32.510	27.434	23,102
XNL	11627.	11827.	10893.	9243.	7864.
PB3	256.56	242.04	192.65	155.68	125.21
783	1357.1	1333.6	1248.9	1171.1	1100.9
PB	12.411	12.167	11-440	10.999	10.703
78	1433.3	1416.7	1349.4	1280.1	1212.1

** TF34/T7 STUDY A1 **
ESTIMATED PERFORMANCE LYNN MASS. APRIL 26, 1979

CA	SE 1	20.0000	121.0000	155.0000	123,0000	124,0000
- AL	7	10000.0	10000-0	10000.0	10000-0	10000.0
		0.5000	0,5000	0.5000	0.5000	0.5000
ER	AM1	1.0000	1.0000	1.0000	1.0000	1.0000
	30	0.	0.	0.	0.	0.
	MB	10.106	10.106	10.106	10.106	10.106
_ :	MB	483.01	483.01	483.01	483.01	483.01
		11,991	11.991	11.991	11.991	11.991
		507.26	507.26	507,26	507-26	507.26
	SD	7944.1	7319.6	5573.2	3949.3	2653,7
	WSD	8710_2	7962.5	5873.2	4045.1	2621.2
~ SF			_		0.4360	0.4769
Ξ.	Ξ	0.3931	0.3959	0.4124		
	FC	0.3585	0.3640	0.3914	0.4257	0.4828
WF		3122.4	2898.0	2298.5	1722.0	1365.6
FN		625,44	524.82	244,387	78.21	-26,56
W1		42.138	40.089	33.484	28,334	23.946
XN	L	11827.	11827.	10768.	9132.	7817.
P8	. 	262.40	247.28	198.42	160-78	129.77
TB		1362.9	1339.4	1257.3	1180.0	1110.5
	-					
P8		12.513	12.249	11.514		10.736
78	•	1429.0	1412.2	1341.5	1272.1	1203.5

** TF34/T7 STUDY A1 **
ESTIMATED PERFORMANCE LYNN MASS. APRIL 26, 1979

الوامل والاعتمال	CASE	125.0000	126.0000	127.0000	128.0000	129,0000
	ALT	. 10000.0	10000.0	10000.0	10000.0	10000.0
	XM	0.6000	0.6000	0.6000	0.6000	0.6000
	ERAMS	1.0000	1.0000	1.0000		1.0000
	WB3Q	0.	0.	0.	0.	0.
	PAMB	10.106	10.106	10-106	10.106	10,106
	TAMB	483.01	483.01	483.01	483.01	483.01
	P2	12.894	12.894	12.894	12.894	12,894
e come o constituire de la con	72	517.93	517.93	517.93	517.93	517.93
	PHSD	8261.0	7613.3	5902.2	4200.3	2857.7
	EPHSD	9028.6	8241.7	6140.6	4201.3	2720.6
•••	SFC	0.3853	0.3883	0.4007	0.4219	0.4578
	ESFC	0.3525	0.3587	0.3851	0.4218	0.4808
	MFT	3183.0	2956.1	2364.9	1772.0	1308.1
· - ·	FN	522.22	427.50	162.16	0.70	-93.28
	WI	43,128	41.107	34.714	29.434	25.033
	XNL	11827.	11827.	10626.	9015.	7792.
	P83	268.57	253.56	205.70	167.04	135.63
	783	1369.0	1347.1	1267.5	1190.8	1122.1
	P8	12.620	12.356	11.610	11.122	10.801
e to come to	T8	1424,6	1407.4	1332,5	1263.3	1194.3

TF34/T7 STUDY A1 ## ESTIMATED PERFORMANCE LYNN MASS. APRIL 26, 1979

CASE	130.0000	131.0000	132.0000	133,0000	134,0000
ALT	10000.0	10000.0	10000.0	10000.0	10000.0
XM	0.7000	0.7000	0.7000	0.7000	0.7000
ERAMS	1.0000	1.0000	1.0000	1.0000	1.0000
ME 30	0.	0.	0.	0.	0.
PAMB	10.106	10.106	10-106	10.106	10.106
TAMB	483.01	483.01	463.01	483.01	483.01
P2	14.023	14.023	14.023	14.023	14.023
2.7	530.54	530.54	530.54	530.54	530.54
8M3D	8618.7	7966.7	6294.7	4485.9	3099.6
EPWSD	9337.6	8532.6	6429.6	4351.5	2811.5
SFC	0.3770	0.3797	0.3882	0.4075	0.4375
ESFC	0.3480	0.3545	0.3801	0.4201	0.4823
WFT	3249.6	3024.7	2443.7	1828.2	1356.0
FN	419.19	329.97	78.66	-78.37	-168.02
W1	44.248	42.322	36.196	30.712	26.297
XNL	11827.	11827.	10470.	8877	7750.
PB3	275.53	261.04	214.50	174.31	142.44
TB3	1376.4	1356.2	1279.6	1203.6	1135.6
PB	12.750	12,485	11.731	11.210	10.866
78	1420.0	1402.0	1322.8	1254.2	1183.8

CASE	135.0000	136.0000	137:0000	138,0000	139.0000
ALT	10000.0	10000.0	10000.0	10000-0	10000.0
XM	0.7500	0.7500	0.7500	0.7500	0.7500
ERAM1	1.0000	1.0000	1.0000	1.0000	1.0000
WB3Q	0.	0.	0.	0.	0.
PAHB	10.106	10.106	10,106	10.106	10.106
TAMB	483.01	483.01	483.01	463.01	483.01
P 2	14.683	14.683	14.683	14.683	14.683
TŽ	537.57	537.57	537.57	537,57	537.57
PHSD	8827.9	8162.2	6511.3	4650.8	3226.9
EPWSD	9503,6	8677.8	6576.3	4428.2	2845.9
SFC	0.3726	0.3751	0.3818	0.3999	0.4277
ESFC	0.3461	0.3528	0.3780	0.4201	0.4849
WFT	3289.6	3061.8	2485.8	1860.1	1380.1
FN	367.72	280.61	35.39	-121-15	-207.38
W1	44.941	42.985	37.000	31.438	26.968
XNL	11827.	11827.	10361.	8806.	7717.
P83	279.84	265.12	219.26	178.44	146.08
TB3	1381.4	1361.2	1286.1	1210.7	1143.2
PB	12.823	12.557	11.799	11.254	10.902
TB	1417_2	1399.2	1317.8	1249.3	1178.6

CASE	140.0000	141.0000	142.0000	143.0000	144.0000
ALT	10000.0	10000.0	10000.0	10000.0	10000.0
XΜ	0.8000	0.8000	0.8000	0.6000	0.8000
ERAM1	1.0000	1.0000	1.0000	1,0000	1.0000
MB3Q	0.	0.	0.	0.	0.
PAMB	10-106	10.106	10.106	10.106	10.106
TAMB	483.01	483.01	483.01	483.01	483.01
29	15.412	15.412	15.412	15.412	15,412
T2	545.08	545.08	545.08	545.08	545.08
PWSD	9041.6	8408.7	6745.5	4826.3	3363.2
EPWSD	9665.3	8868.6	6725.0	4504.6	2876.0
SFC	0.3683	0.3698	0.3751	0.3923	0.4178
ESFC	0.3446	0.3507	0.3762	0.4205	0,4886
WFT	3330.2	3109.9	2530.1	1894.1	1405.3
FN	318.22	234.62	-10.47	-165.16	-248.59
W1	45.653	43.850	37.856	32,221	27.679
XNL	11827.	11725.	10236.	8730.	7679.
PB3	284.28	270.45	224.33	182.89	149.95
TB3	1386.5	1367.4	1292.9		1151.1
PB	12,913	12,651	11.868		10,941
18	1414.7	1395.0	1312.5	1244.2	1173.4

1401086 FERMINERS -- --

CASE	145.0000	146.0000	147.0000	148.0000	149.0000
ALT	15000_0	15000_0	15000.0	15000.0	15000.0
					0.3000
_					
			-		0.
· ·	•				8.294
	<u> </u>		<u> </u>		465.18
_		•	• • •		
_					
					2209.1
-					8.5955
					0,4902
					0.4723
		<u> </u>	Ι.		1083.0
			: · · · · · · · · · · · · · · · · · · ·	1 1 1 1 1 1	116.04
				_	19.860
-					8160.
	-				
				- · · · · · · · · · · · · · · · · · · ·	1078.3
_	· · · · · · · · · · · · · · · · · · ·	. 7			1200.6
	_	ALT 15000.0 XM 0.3000 ERAM1 1.0000 HB3Q 0. PAMB 8.294 TAMB 465.18 P2 473.59 PMSD 6853.7 EPWSD 7460.4 SFC 0.3998 ESFC 0.3673 WFT 2740.4 FN 841.09 W1 36.580 XNL 11827. PB3 1346.2 P8 10.496	ALT 15000.0 15000.0 XM 0.3000	ALT 15000.0 15000.0 15000.0 XM 0.3000 0.00000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.00000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.00000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.00000 0.	ALT 15000.0 15000.0 15000.0 15000.0 XM 0.3000 0.3000 0.3000 0.3000 0.3000 0.3000 ERAM1 1.0000 1.0000 1.0000 1.0000 1.0000 PAMB 8.294 8.294 8.294 8.294 8.294 TAMB 465.18 465.18 465.18 465.18 P2 8.829 8.829 8.829 8.829 8.829 PMSD 6853.7 6282.7 4656.8 3283.4 EPWSD 7460.4 6806.2 4952.5 3450.5 SFC 0.3998 0.4026 0.4240 0.4490 ESFC 0.3673 0.3717 0.3987 0.4273 WFT 2740.4 2529.7 1974.4 1474.3 FN 841.09 725.70 410.03 231.63 M1 36.580 34.555 28.126 23.608 XNL 11827. 11827. 11338. 9685. PB3 227.86 213.20 166.68 134.05 TB3 1346.2 1320.3 1227.9 1149.3 P8 10.496 10.227 9.504 9.099

CASE	150.0000	151.0000	152.0000	153.0000	154,0000
ALT	15000.0	15000.0	15000.0	15000.0	15000.0
XM	0.4000	0.4000	0.4000	0.4000	0.4000
ERAM1	1.0000	1.0000	1.0000	1.0000	1.0000
WB3Q	0.	0.	0.	0.	0.
PAMB	8.294	8.294	8.294		8.294
TAMB	465.18	465.18	465.18	465,18	465.18
P2	9.261	9.261	9.261	9.261	9.261
TZ	480.13	480.13	480.13	480-13	480.13
PWSD	7106.8	6465.0	4835.2	3427.0	2317.1
EPWSD	7847.8	7080.6	5161.1	3589.1	2375.0
SFC	0.3947	0.3972	0.4160	0.4387	0.4771
ESFC	0.3575	0.3627	0.3897	0.4189	0.4655
WFT	2805.3	2567.9	2011.4	1503.4	1105.6
FN	770.45	640.07	338.91	168,52	60.15
W1			28,790	24.215	20.420
	37,630	35,175			8117.
XNL	11827.	11827.	11255	9597.	110.74
PB3	234.40	217.03	170.62		
TB3	1353.6	1324.5	1234.4	1156.3	1086.0
P8	10.618	10.293	9.556		8.853
TR	1417.7	T GO L	1 2 2 2 . 0	1263.1	1193.7

The state of the s

** TF34/T7 STUDY A1 **
ESTIMATED PERFORMANCE LYNN MASS. APRIL 26, 1979

CASE	155.0000	156.0000	157,0000	158,0000	159,0000
ALT	15000.0	15000-0	15000.0	15000.0	15000.0
XM	0.5000	0.5000	0.5000	0.5000	0.5000
ERAM1	1.0000	1.0000	1.0000	1.0000	1.0000
WB3Q	0.	0.	0.	0.	0.
PAMB	8.294	8.294	8.294	8.294	8.294
TAMB	465.18	465.18	465-18	465.18	465.18
54	9.840	9.840	9.840	9.840	9.840
72	488.54	488.54	488.54	488.54	488.54
PHSD	7262.9	6704.3	5066.3	3610.9	2457.4
EPWSD	8056.5	7376.0	5390.0	3737.4	2460.6
SFC	0.3886		0.4062		0.4616
ESFC	0.3503	0.3549	0.3818	0.4123	
WFT	2822.4	2618.1	2058.1	1540.8	1134.4
FN	660.11	558.75	269.29	105.24	2.68
W1	37.869	35.994	29.638	25,005	21,144
XNL	11827.	11827.	11123.	9486.	8062.
PB3	235.88	80.555	175.63		114.66
TB3	1354.0	1330.1	1242.6		
PB	10.649	10.383	9.626		
TB	1411.7	1394-1	1326.3	1255.2	1185.4

--

. ...

Ì

-

-

** TF34/T7 STUDY A1 **
ESTIMATED PERFORMANCE LYNN MASS. APRIL 26, 1979

CASE	160.0000	161.0000	162.0000	163,0000	164,0000
ALT	15000.0	15000.0	15000.0	15000.0	15000.0
XM	0.6000	0.6000	0.6000	0.6000	0.6000
ERAM1	1.0000	1.0000	1.0000	1.0000	1.0000
WB3Q	0.	0.	0.	0.	0.
PAMB	8.294	8.294	8.294	8.294	8.294
TAMB	465.18	465.18	465.18	465.18	465.18
P2	10.561	10.581	10.581	10.581	10.581
T2	498.82	498.82	498.82	498.82	498.82
PWSD	7559.6	7002.6	5349.8	3837.8	2623.5
EPHSD	8390.3	7695.7	5637.6	3895.8	2542.9
SFC	0.3813	7586.0	0.3952	0.4133	0.4452
ESFC	0.3435	0.3483	0.3750	0.4071	0.4594
WFT	2882.3	1.0865	2114.2	1586.1	1168.1
FN	575.84	480.44	199.51	40_23	-55.92
W1	38.624	37.014	30,669	25.971	22,005
XNL	11827.	11827.	10960.	9344.	7983.
PB3	241.82	228.36	181.74	147.42	119.31
TB3	1360.0	1336.8	1252.3	1175.5	1106.8
PB	10.763	10.498	9.712		8,935
TA	1407 3	1380 0	1317 6	1206 3	1176 0

** TF34/T7 STUDY A1 **
ESTIMATED PERFURMANCE LYNN MASS. APRIL 26, 1979

CASE	165.0000	166.0000	167.0000	165.0000	169.0000
ALT	15000.0	15000.0	15000.0	15000.0	15000.0
XM	0.7000	0.7000	0.7000	0.7000	0.7000
ERAM1	1.0000	1.0000	1.0000	1.0000	1.0000
WB 30	0.	0.	0.	0.	0.
PAMB	8.294	8.294	8.294	8.294	8.294
TAMB	465.18	465.18	465.18	465.18	465.18
P2	11.508	11.508	11.508	11.508	11.508
12	510.97	510.97	510,97	510.97	510.97
PHSD	7915.0	7323.5	5699.8	4109-1	2836.0
EPWSD	8749.4	7995.3	5918.8	4065.6	2636.0
SFC	0.3733	0.3745	0.3831	0.3990	0.4268
ESFC	0.3377	0.3431	0.3689	0.4033	0.4592
WFT	2954.7	2743.0	2183.4	1639.6	1210.5
PN	495.72	399,15	130.14	-25.80	-118.82
W1	39.992	38.074	31.950	27.125	23.085
XNL	11827.	11827.	10787.	9175.	
P83	249.09	234.90	189.34	153.96	
183	' <u>T</u> _	1344.4	1263.7	1187.4	1119.4
	1367.3			· · · · · · · · · · · · · · · · · · ·	
P8	10.910	10.624	9.823		
T8	1402.6	1384.2	1307.8	1236.6	1166.9

4

	CASE	170.0000	171.0000	172.0000	173.0000	174.0000
	ALT	15000.0	15000.0	15000.0	15000.0	15000.0
	XM	0.7500	0.7500	0.7500	0.7500	0.7500
	ERAM1	1.0000	1.0000		1.0000	1.0000
	WB3Q	0.	0,	0.	0.	0.
	PAMB	8.294	8.294	8.294	8.294	8.294
	TAMB	465.18	465.18	465.18	465.18	465.18
	P2	12.049		12.049	12.049	12.049
•	12	517.74	517.74	517.74	517-74	517.74
	PHSD	8099.4	7497.7	5899.8	4265.4	2959.7
	EPWSD	8915.6	8142.4	6071.6	4155.7	2686.9
	SFC	0.3691	0.3704	0.3769	0.3915	
					0.4018	0.4596
	ESFC	0.3353	0.3410	0.3662		1234.9
	WFT	2989.7	2777.0	2223.5	1669.9	
	PN	452.66	357.57	95.26	-60,82	-151.31
	W1	40.569	38.671	32.696	27.795	23.709
	XNL	11627.	11827.	10699.	9106.	7869.
	PB3	252.68	238,58	193.77	157.76	128.50
	TB3	1371.2	1349.2	1270.1	1194.3	1126.3
	P8	10.982	10.692	9.890	9.373	9.028
•	T8	1400.3		1302.8	1231.4	1161.7

** TF34/T7 STUDY A1 **
ESTIMATED PERFORMANCE LYNN MASS. APRIL 26, 1979

CASE	175.0000	176,0000	177.0000	178,0000	179.0000
ALT	15000.0	15000.0	15000.0	15000.0	15000.0
XM	0.8000	0.8000	0.8000	0.8000	0.8000
ERAM1	1.0000	1.0000	1.0000	1.0000	1.0000
MB 3Q	0 .	C.	0.	0.	0.
PAMB	8,294	8,294	8,294	8.294	8,294
TAMB	465.16	465.18	465218	465-18	465.18
P 2	12.647	12.647	12.647	12.647	12.647
72	524.98	524.98	524.98	524.98	524.98
PWSD	8286.7	7686.5	6106.1	4424.8	3098.0
EPWSD	9070.2	8296.1	6222.4	4241.4	2745.1
3FC	0.3548	0.3661	0.3709	0.3844	0.4075
ESFC	0.3333	0.3392	0.3640	0.4010	0.4598
WFT	3023.2	2813,8	2264.9	1700.8	1262.3
PN	407.32	316.94	60.49	-95.34	-183.44
Wł	41,123	39.322	33-479	28.493	24.414
XNL	11827.	11827.	10602.	9019.	7850.
PB3	256,12	242.59	198.41	161.72	132.29
TB3	1374.8	1354.3	1276.9	1201.6	1133.7
P8	11.053	10.770	9.965	9.427	9,075
T8	1398.2	1379.0	1298.0	1226.5	1156.1

.

1

T ...

-

CASE	180.0000	181.0000	182.0000	183,0000	184.0000
ALT	20000.0	20000.0	20000.0	20000.0	20000.0
XM	0.4000	0.4000	0.4000	0.4000	0.4000
ERAM1	1.0000	1.0000	1.0000	1,0000	1.0000
WB3Q	0.	0.	0.	0.	0.
PAMB	6.753	6.753	6.753	6.753	6.753
TAMB	447.35	447.35	447.35	447.35	447.35
P2	7.541	7,541	7.541	7.541	7.541
12	461.73	461.73	461.73	461.73	461.73
PHSD	6214-1	5802.5	4355.3	3099.1	2124.1
EPWSD	6886.0	6400.4	4677.0	3265.1	2193.9
SFC	0.3919	0.3933	0.4101	0.4302	0.4625
ESFC	0.3537	0.3565	0.3819	0.4083	0.4481
WFT	2435.4	2281.9	1786.3	1333.3	983.0
FN	712.37	633.89	341.12	175,99	73.96
W1	32.256	31.019	25.237	21.182	17.885
XNL	11827.	11827.	11530.	9899	8358.
PB3	200.91	191.38			97.09
					1070.3
783	1334.0	1312.9	1218.6	1140.9	
P8	8.847	8.655		7.534	7.275
T8	1403_8	1383.7	1319.6	1247.6	1176.6

** TF34/T7 STUDY A1 **
ESTIMATED PERFORMANCE LYNN MASS. APRIL 26, 1979

CASE	185.0000	186.0000	187.0000	188.0000	189,0000
ALT	20000_0	20000.0	20000.0	20000.0	20000.0
XM	0.5000	0.5000	0.5000	0.5000	0.5000
ERAM!	1.0000	1.0000	1.0000	1.0000	1.0000
WB3Q	0.	0.	0.	0.	0.
PAMB	6.753	6.753	6.753	6.753	6.753
TAMB	447.35	447.35	447.35	447.35	447.35
65	8.013	8.013	8.013	8.013	8.013
12	469.82	469.82	469.82	469,92	469.82
PWSD	6527.7	6053.4	4566.0	3272.4	2248.5
EPWSD	7316.4	6731.5	4901.2	3419.0	2280.7
SFC	0.3856	0.3867	0.4006	0.4185	0.4489
ESFC	0.3441	0.3477	0.3732	0.4005	0.4426
MFT	2517.3	2340.5	1829.4	1369.4	1009.4
PN	669.07	575.23	284.29	124.37	27.26
W1	33.537	31.957	26-003	21.911	18.521
XNL	11827.	11827.	11426.	9826.	8302.
PB3	208,93	197.18	154.17	124,49	100.52
T83	1343.1	1319.6	1226.5	1149.4	1079.6
P8	9.010	8.764	8,004	7.583	7.312
TB	1397_3	1378-4	1311-9	1239.3	1168.7

٠.

1

7

CASE	190.0000	191.0000	192.0000	193.0000	194.0000
ALT	20000.0	20000.0	20000.0	20000.0	20000.0
XM	0.6000	0.6000	0.6000	0.6000	0.6000
ERAMS	1,0000	1.0000	1.0000	1.0000	1.0000
W83Q	0.	0.	0.	0.	0.
PAMB	6.753	6.753	6.753	6.753	6.753
TAMB	447.35	447.35	447.35	447.35	447.35
P2	8,616	8.616	8,616	8.616	8,616
TŽ	479.70	479.70	479.70	479.70	479.70
PWSD	6814.5	6310.1	4815.9	3477.4	2406.9
EPHSD	7673.6		5138.3	3579.0	2374.0
SFC	0.3788	0.3796	0.3905	0.4056	0,4328
ESFC	0.3364	0.3406	0.3660	0.3941	0.4388
HFT	2581.1	2395.1	1880.6	1410.5	1041.7
FN	607.28	510.44	227.87	71.85	-23.25
W1	34,532	32.838	26.929	22.761	19.315
XNL	11827.	11827.	11295.	9690	8234.
PB3	215.14	202.63	159.63		
TB3	1349.6	1325.9			
P8	9.142	8,872	8.087		7.350
TA	1392.8	1373.9	1303.7	1230-1	1159.1

CASE	195.0000	196.0000	197.0000	198,0000	199,0000
ALT	20000.0	20000.0	20000.0	20000.0	20000.0
XM	0.7000	0.7000	0.7000	0.7000	0.7000
ERAM!	1.0000	1.0000	1.0000	1.0000	1.0000
W830	0.	0.	0.	0.	0.
PAMB	6.753	6.753	6.753	6.753	6.753
TAMB	447.35	447.35	447.35	447.35	
P2	9.371	9.371	9.371	9.371	9,371
T2	491.38	491.38	491.38	491.38	491.38
PWSD	7132.9	6615.8	5111.5	3716.4	2587.8
EPWSD	6030.3	7356.2	5394.5	3745.3	2466.3
SFC	0.3714	0.3718	0.3796	0.3923	0.4164
ESFC	0.3299	0.3344	0.3597	0.3893	0.4370
WFT	2649.0	2459.5	1940.4	1458.1	1077.7
FN	543.73	448.57	171.49	17.50	-73.64
W 1	35,607		28,031	23.767	20.222
XNL	11827.	11827.	11115.	9523.	8138.
PB3	221.84	209.13	166.14	134.99	109.71
183	1356.8	1333.4	1247.3	1171.3	1103.4
P8	9.288	9.009	8.190	7.719	7.409
T8	1388.3	1369-0	1294.8	1220.5	1149.5

** TF34/T7 STUDY A1 **
ESTIMATED PERFORMANCE LYNN MASS. APRIL 20, 1979

CASE	200.0000	201.0000	202.0000	203.0000	204.0000
ALT	20000.0	20000.0	20000.0	20000.0	20000.0
XM	0.7500	0.7500	0.7500	0.7500	0.7500
ERAM1	1,0000	1,0000	1.0000	1,0000	1.0000
MB3Q	0.	0.	0.	O.	0.
PAMB	6.753	6.753	6.753	6.753	6.753
TAMB	447.35	447.35	447.35	447.35	447.35
PZ	9.811	9.811	9.811	9.811	9,811
72	497.90	497.90	497.90	497.90	497.90
PWBD	7314.2	0793.4	5278.9	3850.0	2688.0
EPWSD	8223.4	7533.4	5532.2	3830.7	2506.5
SFC	0.3675	0.3675	0.3740	0.3856	0.4080
ESFC	0.3269	0.3314	0.3568	0.3876	0.4376
WFT	2686.0	2496.9	1974.1	1484.7	1096.8
FN	514.11	418.50	143.22	-10.88	-102.66
W1	36.230	34,505	28.651	24.334	20,712
XNL	11827.	11627.	11014.	9430.	8078.
P83	225.72	212.93		138,19	112.36
TB3	1360.9	1337.7		1177.7	
P6	9.377	9.088			
TB	1386.0	1366.3	1290.1	1215.8	1144.7

TF34/T7 STUDY A1
ESTIMATED PERFORMANCE LYNN MASS. APRIL 20, 1979

CASE	205.0000	506.0000	207.0000	208.0000	209,0000
ALT	20000.0	20000.0	20000-0	20000.0	20000.0
XM	0.8000	0.8000	0.8000	0.8000	0.8000
ERAM1	1.0000	1.0000	1.0000	1.0000	1.0000
WB3Q	0.	0.	0.	0.	0.
PAMB	6.753	6,753	6.753	6.753	6.753
TAMB	447.35	447.35	447.35	447.35	447.35
P2	10.299	10,299	10.299	10.299	10.299
12	504.86	504.86	504.86	504.86	504.86
PWSD	7508.0	6983.6	5460.3	3991.9	2799.7
EPWSD	8421.3	7718,2		3917.3	2552.6
SFC	0.3635		0.3682	0.3789	0.3996
ESFC	0.3241	0.3287	0.3541	0.3861	0.4382
WFT	2729.1	2537.0	2010.3	1512.6	1118.7
FN	484.21	389.38	114.64	-39.54	-130.99
W1	36.886	35,169	29,323	24.935	21,268
XNL	11827.	11827.	10910.	9326.	8024.
PB3	229,80	217.03			115.36
183	1365.2	1342.4			1117.0
PB	9.472	9.177		7.807	
TA	1383.8	1363.5	1285.2	1211.1	1139.8

CASE	210.0000	211.0000	212.0000	213.0000	214.0000
ALT	25000.0	25000.0	25000.0	25000.0	25000.0
XM	0.4000	0.4000	0.4000	0,4000	0.4000
ERAM1	1.0000	1.0000	1.0000	1.0000	1.0000
WB3Q	0 a	0.	0.	0.	O.
PAMB	5,454	5.454	5.454	5.454	5.454
TAMB	429.52	429.52	429.52	429.52	429.52
P2	6.090	6.090	6.090	6.090	6.090
T2	443.32	443.32	443.32	443,32	443.32
PHSD	5356.5	5114.6	3838.3	2766.7	1917.1
EPWSD	5953,3	5675.6	4141.8	2931.1	1993.1
SFC	0.3904	0.3910	0.4063	0.4226	0.4508
ESFC	0.3513	0.3523	0.3765	0.3989	0.4336
WFT	2091-1	1999.8	1559.5	1169.1	864.2
FN	645.89	607.05	328.37	177.89	82.28
W1	27.314	26,905	21.721	18.316	15.476
XNL	11827.	11827	11716.	10129.	8585
PB3	170.21		128.94	104,21	
TB3	* _ * <u>_</u> * _ *	165.08	·	1124.9	1053.4
P8	1313,3	1298.4	1201.3		5.931
TR	7,309	7.218	1308.0	6.169	1161-0

n -

1

R

•

e series 🛡

TF34/T7 STUDY A1 **
ESTIMATED PERFORMANCE LYNN MASS. APRIL 26, 1979

CASE	215.0000	516.0000	217.0000	218,0000	219.0000
ALT	25000,0	25000.0	25000.0	25000.0	25000.0
XM	0.5000	0.5000	0.5000	0.5000	0.5000
ERAMI	1.0000	1,0000	1.0000	1.0000	1.0000
8 83 0	٥,	9.	0.	0.	0.
PAHB	5,434	5.454	5.454	5.454	5,454
TAMB	429,52	427,52	429.52	429.52	429.52
B 7	6.470	5. 470	6,470	6.470	6.470
4.5	451.09	451.09	451.09	451.09	451.09
PRSD	5626.6	5318.6	4040.3	2912.6	2029.0
EPWSD	6337.7	5964.2	4371.5	3069.5	2080.3
SFC	0.3845	0.3850	0.3974	0.4122	0.4378
ESFC	0.3414	0.3433	0.3673	0.3911	0.4270
MFT	2103.6	2047.7	1605.5	1200.5	888.2
FN	615.55	553,90	286.78	135.86	44.38
Wi	28,032	27 2661	22.500	16.932	16.035
XNL	11827.	11827.	11645.	10045.	8522.
PB3	177, 15	170.73	133.54	107.69	87.14
TB3	1322,4	1304.3	1209.5	1132.9	1062,4
P8	7.460	7.316	6.606	6.214	5.967
TB	1390.6	1367.8	1300.2	1225.1	1153.0

** TF34/T7 STUDY A1 **
ESTIMATED PERFORMANCE LYNN MASS. APRIL 26, 1979

CASE	550.0000	551.0000	255.0000	223.0000	224.0000
ALT	25000.0	25000.0	25000.0	25000.0	25000.0
XM	0.6000	0.6000	0.6000	0.6000	0.6000
ERAMI	1.0006	1.0000	1.0000	1.0000	1.0000
MB30	0.	0.	0.	0.	0.
PAMB	5.454	5.454	5.454	5.454	5.454
TAMB	429.52	429.52	429.52	429.52	429.52
P2	6, 958	6.958	6.958	6.958	6,958
15	460,58	460.58	460.58	460.58	460.58
PWSD	5962.1	5576.5	4277.6	3096.2	2170.7
EPWSD	6785.6	6291.4	4618.2	3226.4	2175.9
SFC	0.3780	0.3780	0.3876	0.4004	0.4229
ESFC	0.3321	0.3351	0.3590	0.3842	0.4219
WFT	2253,5	2108.2	1657.9	1239.6	918.0
FN	594.11	515,75	245.71	93,96	3.75
W1	29.833	28,621	23.409	19.707	16.741
XNL	11827,	11827.	11554.	9950.	8451.
PB3	185,85	176.64	138,89	112.07	90.95
183	1333,5	1311.7	1219.2	1142.7	1073.5
PB	7.659	7.443	6_695	6.272	6,005
TB	1383.6	1362.5	1291.6		1143.4

.

I

·i

7

** TF34/T7 STUDY A1 **
ESTIMATED PERFORMANCE LYNN MASS. APRIL 26, 1979

CASE	225.0000	556.0000	227.0000	228.0000	229.0000
ALT	25000.0	25000.0	25000.0	25000.0	25000.0
XM	0.7000	0.7000	0.7000	0.7000	0.7000
ERAM1	1.0000	1.0000	1.0000	1.0000	1.0000
WB3Q	0.	9.	0.	0.	0.
PAMB	5,454	5,454	5.454	5.454	5.454
TAMB	429.52	429.52	429.52	429.52	429.52
P2	7.567	7.567	7-567	7.567	7.567
TŽ	471.80	471.80	471.80	471.80	471.80
PWSD	6354.9	5896.8	4547.8	3316.6	2335.3
EPWSD	7291.7	6673.8	4876.1	3400.0	2272.2
SFC	0.3712	0.3705	0.3771	0.3876	0.4075
ESFC	0.3235	0.3273	0.3517	0.3781	0.4188
WFT	2358.7	2184.7	1714.9	1285.6	951.6
₽N	579.25	480.46	203.03	51.61	-39.01
W1	31.489	29.855	24.416	20.635	17,557
XNL	11827.	11827.	11416.	9840.	8363.
PB3	196.18	184.24	144.81	117.31	95.35
183	1346.2	1321.3	1230.1	1154.2	1086.0
PB	7.907	7.614	6.798	6.346	6,052
T8	1376.6	1356.3	1282.6	1206.6	1133.4

** TF34/T7 STUDY A1 **
ESTIMATED PERFORMANCE LYNN MASS. APRIL 26, 1979

CASE	230.0000	231 00000	535.0000	\$33,0000	234,0000
ALT	25000.0	25000.0	25000.0	25000.0	25000.0
XM	0.7500	0.7500	027500	0.7500	0.7500
ERAMI	1.0000	1.0000	1.0000	1.0000	1.0000
M & 3 Q	0	0.	0.	0.	0.
PAMB	5,454	5.454	5.454	5,454	5.454
TAMB	429,52	429.52	429.52	429.52	429.52
P 2	7,423	7,923	7.923	7,923	7.923
12	478.05	473.05	478.05	478.05	478.05
PWSD	3502 . 8	6649.8	4696.8	3438.8	2425.3
EPHSD	7056.0	6841.3	5010.7	3490.3	2320.9
SFC	0.3672	0.3666	0.3717	0.3810	0.3998
ESFC	0.3203	0.3242	0.3484	0.3754	0.4178
WFT	2398.1	2217.7	1745.9	1310.3	969.7
FN	550.11	456.79	181,16	29.72	-60.22
W1	31,938	30,397	24.973	21.143	18.003
XNL	11827.	11827.	11337.	9757	8310.
P83	199.00	187.58	148.10	120.18	97.76
783	1349.0	1325,6	1236.0	1160.4	1092.7
PB	7.971	7.688	6.854	6.387	6.084
78	1379.7	1353.8	1278.1	1201.5	1128-6

.

]

** TF34/Y7 STUDY A1 **
ESTIMATED PERFURMANCE LYNN MASS. APRIL 26, 1979

CASE	235.0000	236.0000	237.0000	238.0000	239,0000
ALT	25000.0	25000.0	25000.0	25000.0	25000.0
XM	0.8000	~	0.8000	0.8000	0.8000
ERAM1	1.0000	1.0000	1.0000	1.0000	1.0000
WB3Q	0.	0.	0.	0.	0.
EHAS	5.454	5,454	5.454	5.454	5.454
TAMB	429.52	429.52	429.52	429.52	429.52
29	8.516	8.316	8.316	8.316	8.316
TŽ	484.74	484.74	484.74	484.74	484.74
PWSD	6664.5	6205.9	4849.5	3568,9	2524.2
EPWSD	7641.0	7006.6	5143.0	3582.0	2370.8
SFC	0.3638	0.3627	0.3664	0.3744	0.3919
ESFC	0.3173	0.3212	0.3455	0.3730	0.4173
WFT	2424.4	2250.7	1777.1	1336.1	989.3
FN	528,38	433.22	158.76	7.10	-62.98
W1	32.513	30.937	25.542	21.681	18.491
XŇL	11827.	11827.	11235.	9662.	8255.
PB3	202.57	190.91	151.46	123,22	100.40
TB3	1353,2		1242.3	1167.1	1099.9
28	8.067	7.770	6.915	6.432	6,115
78	1373.0	1351.7	1273.7	1196.4	1123.5

1__

(Stage)

CASE	240.0000	241.0000	242.0000	243.0000	244.0000
ALT	30000.0	30000.0	30000.0	30000.0	30000.0
XM	0.4000	0.4000	0.4000	0.4000	0,4000
ERAM1	1.0000	1.0000	1.0000	1.0000	1.0000
WB3Q	0.	0.	0.	0.	0.
PAMB	4.364	4.364	4.364	4.364	4.364
TAMB	411.68	411.68	411.08	411.68	411.68
29	4.873	4.873	4.873	4.873	4.873
72	424.91	424.91	424.91	424.91	424.91
PWSD	4375.9	4375.7	3328.8	2437.7	1705.0
EPHSD	4873.6	4873.3	3606.8		1783.7
SFC	0.3901	0.3901	0.4033		0.4414
ESFC	0.3503	0.3503	0.3722	0.3910	0.4219
WFT	1707-2	•	1342.5	1015.0	752.6
FN	550.16		307.23	7 1 1 7 7 7 7	87.00
W1	22.712	-	18.430		13.258
XNL	11780.	11780.	11780.	10329.	8832.
P83	140.21	140.21	109.58		
T83	1278-0	1278.0	1183.3		1036.1
PB	5,929	5.929	5.330		4,798
TB	1361.7	1361.7	1297.5	1219.9	1146.9

CASE	245.0000	246.0000	247.0000	248.0000	249,0000
ALT	30000.0	30000-0	30000.0	30000.0	30000.0
XM	0.5000	0.5000	0.5000	0.5000	0.5000
ERAMI	1.0000	1.0000	1.0000	1.0000	1.0000
WB3Q	0.	0.	0.	0.	0.
PAMB	4.364	4.364	4_364	4.364	4.364
TAMB	411.68	411.68	411-68	411,68	411.68
25	5.178	5.178	5-178	5.178	5.178
۲2	432.35	432.35	432.35	432.35	432.35
2×50	4709.0	4626.4	3497.3	2566.8	1805.3
EPWSD	5326.4	5231.0	3808.8	2727.0	1868.0
SFC	0.3843	0.3845	0.3956	0.4066	0.4288
ESFC	0.3398	0.3401	0.3632	0.3827	0.4144
WFT	1809.8	1778.8	1383.4	1043.5	774.1
FN	545.93	534.67		141.73	55,47
W1	23.816	23,747		16.209	13.744
XNL	11827.	11827.	11799.	10255.	8762.
P83	147.79	146.65		92.32	74.80
TB3	1294.8	1288.7		1115.1	1044.7
P8	6,102			_	4.827
TB	1370-5	1358.5	1290-7	1212.1	1138.6

** TF34/T7 STUDY A1 **
ESTIMATED PERFORMANCE LYNN MASS. APRIL 26, 1979

CASE	250.0000	251.0000	252.0000	253.0000	254,0000
ALT	30000.0	30000.0	30000.0	30000.0	30000.0
XM	0.6000	0.6000	0.6000	0.6000	0,6000
ERAM1	1.0000	1.0000	1.0000	1.0000	1.0000
WB30	0.	0.	0.	0.	0.
PAMB	4.354	4.364	4.364	4.364	4.364
TAMB	411.68	411.68	411268	411.68	411.68
P2	5,568	5.568	5.568		5,568
72	441.45	441.45	441.45	441.45	441.45
PWSD	5081-0	4840-6	3713.1	2722.2	1927.5
EPWSD	5822.6	5520.5	4046.9	2869.1	1958.3
SFC	0.3783	0.3780	0.3860	0.3957	
ESFC	0.3301	0.3315	0.3542	0.3754	0.4084
WFT	1922.0	1829.8	1433.4	1077.1	799.7
FN	546.51	501.03	246.01	108.21	22.70
W1	25.066	24.550	19.936	16.862	14.331
XNL	11827.	11827.	11711.	10152.	8665.
PB3	156,24	151.64	118.45	96.04	77,97
TB3	1311.7	1295.6			1054.8
P6	6.312	6.191	5.484		
TS	1378.6	1353.7	1282.0	1203.5	1129.4

** TF34/T7 STUDY A1 **
ESTIMATED PERFORMANCE LYNN MASS. APRIL 26, 1979

CASE	255.0000	256.0000	257.0000	258.0000	259.0000
ALT	30000.0	30000.0	30000.0	30000.0	30000.0
XM	0.7000	0.7000	0.7000	0.7000	0.7000
ERAM1	1.0000	1.0000	1.0000	1.0000	1.0000
WBBG	0.	0.	0.	0.	0.
PAMB	4.364	4.364	9.364	4,364	4.364
TAMB	411.68	411.68	411.68	411-68	411.68
P2	6.055	6.055	6.055	6.055	6.055
12	452.20	452.20	452,20		452.20
PWSD	5416.6	5098.4	3973.3	2913.3	2069.0
EPWSD	6274.6	5848.6	4319.4	3032.1	2054.5
SFC	0.3720	0.3711	0.3758	0.3838	0.4009
ESFC	0.3211	0.3235	0.3457	0.3687	0.4038
MFT	2014.9	1892.2	1493.3	1118.1	829.5
FN	541.97	473.88	218,63	75.06	-9.14
W1	26.500	25.541	20.946	17.667	15.026
XNL	11627.	11827.	11621.	10043.	8553.
PB3	165.19	157.73	124,40	100.58	81.73
183	1324.3	1304.0	1211.8	1136.2	1066.7
P8	6.540	6.343	5.594	5.174	4.913
T8	1372.1	1348.9	1272.5	1193.8	1120-1

** TF34/T7 STUDY A1 **
ESTIMATED PERFORMANCE LYNN MASS. APRIL 26, 1979

CASE	260.0000	261.0000	Se5 *0000	563.0000	264,0000
ALT	30000.0	30000.0	30000.0	30000.0	30000.0
XM	0.7500	0.7500	0.7500	0.7500	0.7500
ERAMI	1.0000	1.0000	1.0000	1.0000	1.0000
WB3Q	0.	0.	0.	0.	0.
PAMB	4.364	4.364	4.364	4.364	4.364
TAMB	411.68	411.68	411.68	411.68	411.68
P2	6.340	6.340	6.340	6.340	6.340
TŽ	458.20	458.20	458,20	458.20	458.20
PWSD	5606.1	5245.7	4114.3	3022.3	2151.6
EPWSD	6527 9	6028.4	4462.3	3121.6	2105.6
SFC	0.3639	0.3674	0-3707		
ESFC	C.3168	0.3197	0.3418	0.3777	0.3934
WFT	2067.9	1927.5			0.4020
FN	543.41		1525.4	1141.4	846.5
W1	27, 320	461.39	205.114	58.53	-27.10
XNL	. 7 -	26,098	21,496	18,130	15,427
PB3	11827.	11827.	11572.	9986.	8501.
	170.28	161.16	127.64	103.19	83.89
TB3	1331.1	1308.4	1218.0	1142.5	1073.3
P8	6,679	6.430	5.657	5.214	4,938
TB	1369.0	1346.4	1267_8	1188.8	1114.8

CASE	265.0000	500.0000	267.0000	569,0000	264.0000
ALT	30000.0	30000.0	30000.0	30000.0	30000.0
XM	0.8000	0.8000	0.8000	0.8000	0.8000
ERAM1	1.0000	1.0000	1.0000	1.0000	1.0000
MB3Q	0.	0.	0.	0.	0.
PAMB	4.364	4.364	4.364	4.364	4.364
TAMB	411.68	411,68	411.68	411_68	411.68
88	6,655	6.655	6,655	6.655	6.655
72	464.61	464.61	464.61	464.61	464.61
PHSD	5807.8	5414.4	4255.7	3137.6	2239.5
EPWSD	6797.5		4598.5	3213.4	2158.0
SFC	0.3658	0.3638	023655	0.3716	0.3860
ESFC	0.3126	0.3160	0.3383	0.3628	0.4006
WFT	2124.6	1969.7	1555.6	1165.9	864.4
FN	546.95	452,97	189.45	41.95	-45.04
Wi	28.204	26,770	22,025	18,618	15.859
XNL	11827.	11827.	11493.	9922.	8444.
PB3	175.75	165.26	130,75	105.95	86.22
783	1338,3	1313.9	1224.2	1148.9	1080.5
P8	6.833	6.536	5.718	5.258	4.967
TB	1366.2	1343-6	1263.3	1183.9	1109.6

** TF34/T7 STUDY A1 **
ESTIMATED PERFORMANCE LYNN MASS. APRIL 26, 1979

CASE	270.0000	Z/1.0000	272.0000	2/3,0000	274.0000
ALT	35000.0	35000.0	35000.0	35000.0	35000.0
XM	0.5000	0.5000	0.5000	0.5000	0.5000
ERAM1	1.0000	1.0000	1.0000	1,0000	1.0000
WB3Q	0.	0.	0.	0.	0.
PAMB	3.458	3.458	3,458	3.458	3,458
TAMB	393.85	393,85	393.85	393.85	393.85
P2	4.103	4.103	4.103	4,103	4.103
T2	413.62	413.62	413.62	413,62	413.62
PWSD	3740-1	3739.9		2226.7	1573.5
EPWSD	4232.6	4233.0	3273.6	2383.2	1642.7
8FC	0.3844	0.3845	0.3924	0.4024	0.4237
ESFÇ	0.3397	0.3397	0.3586	0.3759	0.4058
MFT	1437.9	1438.0	1174.0	895.9	666.6
FN	445.38	445.82	254,90	141,52	62,59
W1	19.354	19.354	15.960	13.699	11.613
XNL	11622.	11622.	11622.	10417.	8953.
PB3	118.77	118.78	95.04	78,18	63.31
TB3	1252.5	1252.6	1171.0	1095.9	1025.3
PB	4.865	4.867	4.364	4.077	3,872
T8	1331-4	1331-6	1280.5	1201-1	1127.4

CASE	275.0000	276.0000	277.0000	278.0000	279.0000
ALT	35000.0	35000.0	35000.0	35000.0	35000.0
XM	0.5000	0.5000	0.6000	0.6000	0.6000
ERAMI	1.0000	1.0000	1.0000	1.0000	1.0000
M 19 3 G	0.	0.	0.	0.	0.
PAMB	3,458	3,458	3.458	3,458	3.458
TAMB	393.85	393,85	393,85	393,85	393.85
PZ	4.103	4.103	4.412	4.412	4.412
72	413.62	413.62	422.32	422.32	422.32
PWSD	3740.1	3739.9	3162.6	2365.2	1684.2
EPWSD	4232.6	4233.0	3472.3	2519.4	1734.2
SFC	0.3844	0.3845	0.3849	0.3917	0.4099
ESFC	0.3397	0.3397	0.3506	0.3677	0,3981
WFT	1437.9	1438.0	1217-4	926.5	690.4
PN	445.38	445.82	533,35	116.13	37.73
W1	19.354	19.354	16.656	14.273	12.143
XNL	11622.	11622.	11744.	10329.	8885.
PB3	118.77	118.78	99.15	81_42	66.18
TB3	1252.5	1252.6	1179.8	1105.5	1035.8
P8	4,865	4.867	4.440	4.126	3.907
T8	1331.4	1331.6	1274.1	1192.0	1117.5

CASE	280.0000	231,0000	282.0000	283.0000	264.0000
ALT	35000.0	35000.0	35000.0	35000.0	35000.0
XM	0.7000	0.7000	0.7000	0.7000	0.7000
ERAMI	1.0000	1.0000	1.0000	1.0000	1,0000
MB3Q	0.	Ò.	0.	0.	0 .
PAMB	3.459	3.458	3,458	3,458	\$,458
TAMB	393.85	393,85	393.85	393.85	393.85
P2	4,798	4.798	4.798	4.798	4.798
72	432.60	432.60	432.60	432.60	432.60
PWSD	4510,8	4408-0	3388.8	2526.3	1810.7
EPWSD	5269.5	5140.4	3725.2	2667.2	1828.8
SFC	0.3736	0.3732	0.3758	0.3809	0,3959
ESFC	0.3198	0.3200	0.3418	0.3608	0.3920
WFT	1685.3	1545.1	1273.4	962.2	716.9
FN	489.98	473.01	217.24	91.02	11.71
MI	22.042	21,953	17.572	14.954	12.744
XNL	11827.	11827.	11728.	10219.	8773.
P83	137.13	135.73	104.55	85.25	69.43
783	1298.2	1289.9	1191.3	1116.4	1047.2
P8	5.349	5.306	4.548	4.167	3,949
T8	1359.0	1341.3	1265.1	1183-0	1107.6

** IF34/T7 STUDY A1 **
ESTIMATED PERFORMANCE LYNN MASS. APRIL 26, 1979

CASE	285.0000	286.0000	287.0000	288.0000	289.0000
ALT	35000.0	35000.0	35000.0	35000.0	35000.0
XM	0.7500	0.7500	0.7500	0.7500	0.7500
ERAM1	1.0000	1.0000	1.0000	1.0000	1,0000
483Q	0.	0.	0.	0.	0.
PAMB	3,458	3.458	3,458	3,458	3.458
TAMB	393.85	393.85	393.85	393,85	393.85
P2	5.023	5.023	5.023	5.023	5.023
72	438.33	438.33	438.33	438,33	438.33
PHSD	4720.8	4558.7	 	2615.2	1882.8
EPWSD	5554.7	5348.1	3862.4	2744.8	1880.0
SFC	0.3710	0.3703	0.3708	0.3753	0.3886
ESFC	0.3153	0.3156	0.3375	0.3576	0.3892
HFT	1751.6	1687.9	1303.6	981.6	731.7
FN	502.64	475.83	209.22	78.13	-1.66
W1	22.767	22.631	18,075	15,328	13.085
XNL	11827.	11827.	11684.	10152.	8712.
PB3	142.04	139.89	107.51		71.27
TB3	1308.7		1197.7	1122.4	1053,5
P8	5,493		4,609	4.221	3,973
TR	1 745 0	4.475	1260.3	1178.3	1102.3

ام المحاري المحاري ويلك ويرع في ا المراب المحار

** TF34/T7 STUDY A1 **
ESTIMATED PERFORMANCE LYNN MASS. APRIL 26, 1979

CASE	290.0000	291.0000	292.0000	293,0000	294.0000
ALT	35000.0	35000.0	35000.0	35000.0	35000.0
XM	0.8000	0.5000	0.8000	0.8000	0.8000
ERAMI	1.0000	1.0000	1.0000	1.0000	1.0000
ស 830	0.	0.	0.	0.	0.
PAMB	3.458	3.458	3.458	3.458	3,458
TAMB	393.85	393.85	393.85	393,85	393.85
P2	5.273	_ ~		5.273	5,273
12	444.47	444.47		444.47	444.47
PWSD	4886.0	4613.5	3650.7	2711.8	1959.1
EPWSD	5786.3	5398.5	4007.1	2827.5	1931.9
SFC	0.3683	0.3664	0.3658	0.3697	0.3814
ESFC	0.3110	0.3131	0.3333	0.3546	0.3868
WFT	1799.7	1690.5	1335,5	1002.6	747.2
FN	508.72	443.58	201.41	65,35	-15.38
W1	23,509	22.656		15.737	13.445
XNL	11827.	11527.	11630.	10084.	8640.
PB3	146.68	140.05	110266	89.71	73.22
TB3	1315.8			1128.7	1060.2
P8	5.629			4.259	4,000
TR	1363.6	A REFT	1255.4	1173.6	1097-0

CASE	295.0000	296.0000	297.0000	298,0000	299,0000
ALT	40000.0	40000.0	40000.0	40000.0	40000.0
XM	0.5000	0.5000	0.5000	0.5000	0.5000
ERAM!	1.0000	1.0000	1.0000	1.0000	1.0000
483Q	0.	0.	0.	0.	0.
PAMB	2.720	2.720	2.720	2.720	2.720
TAMB	389.97	389.97	389.97	389.97	389,97
P2	3.227	3.227	3,227	3.227	3.227
72	409.54	409.54	409.54	409.54	409.54
PWSD	3001.0	3000.6	2284.0	1707.7	1199.9
EPHSD	3397.9	3397.3	2491.4	1824.6	1250.6
SFC	0.3868	0.3868	0.3969	0.4083	0.4334
ESFC	0.3416	0.3416	0.3639	0.3822	0.4158
WFT	1160.7	1160.5	906.5	697.3	520.0
FN	360.65	360.47	188.48	106.22	46.04
Wa	15.263	15.263	12.201	10.556	8.928
XNL	11565.	11565.	11456.	10132.	8656.
PB3	94.43	94.43	72:87	60-43	48.80
TB3	1253.3	1253.3	1158.9	1086.4	1014.2
P8	3.848	3.847	3,396	3.190	3.032
T8	1347.7	1347.5	1288.3	1207.9	1136.6

CASE	300.0000	301.0000	302.0000	303.0000	304.0000
ALT	40000.0	40000.0	40000.0	40000.0	40000.0
XM	0.6000	0.6000	0.6000	0.6000	0.6000
ERAM1	1.0000	1.0000	1.0000	1.0000	1.0000
WB 3Q	0,	0.	0.	0.	0.
PAMB	2.720	2.720	2.720	2.720	2.720
TAMB	389.97	389.97	389.97	389.97	389.97
P2	3.470	3.470	3.470	3.470	3.470
T2	418.15	418.15	418215	418,15	418.15
PWSD	3285.5	3241.9	2439.8	1814.3	1293.8
EPHSD	3780.1	3728.2	2670.4	1929.0	1331.0
3FC	0.3809	0.3809	0.3875	0.3976	0.4182
ESFC	0.3311	0.3312	0.3541	0.3740	0.4065
WFT	1251.5		945.5	721.4	541.1
FN	374.56		174.66	86.88	28.23
W1	16-252	16.215	12.819	11.005	9.395
XNL	11686.	11686.	11442.	10051.	8645.
P83	101.17	100.58	76.54		
TB3	1274.6		1169.1		1026.5
P8	4.017	4.002	3-462	3.227	3.064
TB	1358-4	134A-9	1278.7	1199.1	1124.7

10

** TF34/T7 STUDY A1 **
ESTIMATED PERFORMANCE LYNN MASS. APRIL 26, 1979

CASE	305.0000	306.0000	307,0000	308.0000	309.0000
ALT	40000.0	40000.0	40000.0	40000.0	40000.0
XM	0.7000	0.7000	0.7000	0.7000	0.7000
ERAM1	1.0000	1.0000	1.0000	1.0000	1.0000
MB3Q	0.	0.	0.	0.	0.
PAMB	2.720	2.720	2.720	2.720	2.720
TAMB	389.97	389.97	389,197	389.97	389.97
P2	3.774	3.774	3.774	3.774	3.774
T2	428.33	428.33	428.33	428.33	428.33
PWSD	3552.0	3259.2	2620.4	1941.0	1396.8
EPWSD	4136.7	3733.7	2869.9	2045.3	1410.3
SFC	0.3756	0.3745	0~3777	0.3862	0.4034
ESFC	0.3225	0.3269	0:3449	0.3665	0.3995
WFT	1334.0	1220.5	989.8	749.7	563.4
FN	379.53	307.97	161,98	67.68	8,73
W1	17.096	15.964	13,533	11.539	9.897
XNL	11827.	11827.	11391.	9950.	8569,
PB3	107.02	99.04	80.76	66.00	54.07
TB3	1291.8	1264.2	1180.8	1106.7	1038.9
PB	4.177	3,962	3.544	3.274	3.098
T8	1371.4	1351.4	1268.7	1189.7	1113.7

** TF34/T7 STUDY A1 **
ESTIMATED PERFORMANCE LYNN MASS. APRIL 26, 1979

CASE	310.0000	311.0000	312.0000	313,0000	314.0000
ALT	40000.0	40000.0	40000.0	40000.0	40000.0
XM	0.7500	0.7500	0.7500	0.7500	0.7500
ERAM1	1.0000	1.0000	1.0000	1.0000	1.0000
WB3Q	0.	0.	0.	0.	0.
PAMB	2,720	2,720	2.720	2.720	2,720
TAMB	389.97	389.97	389.97	389,97	389.97
P2	3.951	3,951	3,951	3.951	3,951
T2	434.01	434.01	434-01	434.01	434.01
PHSD	3653.1	3367.6	2724.3	2012.7	1451.5
EPWSD	4272.6		2982.4	2108.7	1448.9
SFC	0.3725	0.3710	0.3726	0.3803	0.3962
ESFC	0.3184	0.3227	0.3404	0.3630	0.3969
WFT	1360.6	1249.2	1015.2	765.5	575.1
FN	375.28	305.35	156.35		-1.56
W1	17.492	16,405	13.944	11.841	10.162
XNL	11827.	11827.	11380.	9894.	8507.
PB 3	109.47	101.75	83.17	<u>_</u>	55.51
TB3	1296.5	1270.0	1187.3		1045.1
P8	4.246		3,592		3,117
78	1369-2	1348.1	1263.5	1184.8	1108.8

CASE	320.0000	321.0000	355.0000	323.0000	324.0000
ALT	45000.0	45000.0	45000.0	45000.0	45000.0
XM	0.5000	0.5000	0.5000	0.5000	0.5000
ERAM1	1.0000	1.0000	1.0000	1.0000	1.0000
W830	0.	0.	0.	0.	0.
PAMB	2.139	2.139	2_139	2.139	2.139
TAMB	389.97	389.97	389.97	389,97	369.97
P2	2.538	2.538	2,538	2.538	2.538
72	409.54	409.54		. 7 2	
PWSD	1977.0		409254	409,54	409.54
EPWSD	<u> </u>	1977.0	1699.7	1242.4	864.3
SFC	2190.3	2190.3	1845.3	1319.9	896.5
ESFC	0.3975	0.3974	0.4038	0.4208	0.4541
	0.3587	0.3587	0.3719	0.3961	0.4378
WFT	785.7	785.7	686.3	8.552	392,5
FN	193.84	193.84	132.30	70.41	29.27
W1	10,154	10.154	9_144	7.802	6,609
XNL	11565.	11565.	10993.	9605.	8163.
PB3	62.89	62.89	54.76	44.78	36.22
T83	1211.3	1211.3	1148.3	1073.2	1001.4
P8	2,779	2.779	2.626	2.469	2.361
TB	1373,3	1373.3	1301.1	1226.4	1157.9

CASE	325,0000	326.0000	327.0000	328.0000	329,0000
ALT	45000.0	45000.0	45000.0	45000.0	45000.0
XM	0.6000	0.6000	0.6000	0.6000	0.6000
ERAMI	1.0000	1.0000	1.0000	1.0000	1.0000
WB 3Q	0.	0.	0.	0.	0.
PAMB	2.139	2.139	2.139	2.139	2.139
TAMB	389.97	389.97	389.97	389.97	389.97
P2	2.729	2.729		2.729	2.729
TŽ	418.15	418.15	418.15	418.15	418.15
PHSD	2179.7	2177.3	1820-4	1325.8	930.7
EPHSD	2441.8	2439.7	1981.4	1400.2	951.0
SFC	0.3884	0.3886	0.3938	0.4090	0.4382
ESFC	0.3468	0.3468	0.3618	0.3872	0.4289
WFT	846.7	846.2	716.8	542.2	407.9
PN	198.46	198.73	121.92	56.34	15.34
W1	10.883	10.881	9.633	8.165	
XNL	11686.	11686.	11010.	9542	8126.
P83	67.71	67.69			38.06
TB3	1232.8	1232.6		1083.7	
P8	2.876	2,878	2.676	2.498	2.382
T8	1373.9	1373.8	1290.2	1216.5	1146.6

** TF34/T7 STUDY A1 **
ESTIMATED PERFORMANCE LYNN MASS. APRIL 26, 1979

CASE	315,0000	316,0000	317.0000	318.0000	319.0000
ALT	40000.0	40000.0	40000.0	40000.0	40000.0
* XM	0.8000	0.8000	0.8000	0.8000	0.8000
ERAM1	1.0000	1.0000	1.0000	1.0000	1.0000
WB30	0.	0.	0.	0.	0.
PAMB	2.720	2.720	2.720	2.720	2.720
TAMB	389.97	389.97	389,197	389_97	389.97
P2	4.147	4-147	4.147	4.147	4.147
72	440.08	440.08	440.08	440_08	440.08
PWSD	3766.2	3479.6	2834.0	2090.5	1509-4
EPWSD	4424.8	4014.2	3100.5		1488.0
SFC	0.3695	0.3675	0.3676		0.3891
ESFC	0.3145	0.3186	0.3360	0.3596	0.3946
WFT	1391.4	1278.8	1041.8	· ·	587.2
FN	374.03	303,60	151.36		-12.14
W1	17-956	16.860	14.383	12.169	10.443
XNL	11827.	11827.	11363.	9835.	8446.
P83	112.34	104.56			57.03
TB3	1302.0	1275.7			1051.7
PB	4.330	4.107	3.647		3.138
TB '	1367.1	1345.2	1258.3	1179.7	1103.8

** TF34/T7 STUDY A1 **
ESTIMATED PERFORMANCE LYNN MASS. APRIL 26, 1979

CASE	330.0000	331.0000	332.0000	333.0000	334.0000
ALT	45000.0	45000.0	45000.0	45000.0	45000.0
XM	0.7000	0.7000	0.7000	0.7000	0.7000
ERAMI	1.0000	1.0000	1.0000	1.0000	1.0000
WB3Q	0.	0.	0.	0.	0.
PAMB	2.139	2.139	2-139	2.139	2,139
TAMB	389.97	389.97	389.97	389.97	389.97
P2	2.968	2.968	2,968	2.968	2,968
12	426.33	428.33	428,33	428,33	426.33
PWSD	2451.5	2343.8	1968.0	1429.5	1010.1
EPHSD	2781.4	2644.1	2142.6	1495.4	1011.4
SFC	0.3803	0.3806	0.3830	0.3962	0.4216
ESFC	0.3352	0.3374	0.3518	0.3788	0.4211
WFT	932.3	892.1	753.7	566.4	425.9
FN	214.16	194.91	113,32	42.79	0.85
W1	11.782	11.506	10-233	8,616	7.345
XNL	11827.	11827.	11037.	9497.	8087
PB3	73.88		61,25		40.24
TB3	1259.2	1245.6	1174.0	1096.4	1026.9
PB	3.018	2.965	2.741	2.536	2.408
TB	1386.4	1369.2	1278.2	1205.1	1134.3

** TF34/T7 STUDY A1 **
ESTIMATED PERFURMANCE LYNN MASS. APRIL 26, 1979

CASE	335.0000	336.0000	337.0000	338.0000	339.0000
ALT	45000.0	45000.0	45000.0	45000.0	45000.0
XM	0.7500	0.7500	0.7500	0.7500	0.7500
ERAM!	1.0000	1.0000	1.0000	1.0000	1.0000
WB30	0.	0.	0.	0.	0.
PAMB	2.139	2.139	2-139	2.139	2.139
TAMB	389.97	389.97	389.97	389.97	389.97
P2	3,107	3,107	3.107	3.107	3.107
72	434.01	434.01	434.01	434_01	434.01
PHSD	2584.1	2440.0	2047.5	1490.9	1056.6
EPWSD	2949.5	2762.0	2227.3	1550.2	1045.5
SFC	0.3763	0.3763	0.3776	0.3894	0.4128
ESFC	0.3296	0.3324	0.3471	0.3745	0.4172
WFT	972.3	918.1	773.2	580.5	436.1
FN	221.34	195.06	108,70	35.90	-6.75
Wi	12-261	11.895	10.551	8.882	7.577
XNL	11827.	11827.	11032.	9484.	8080.
PB3	77.04	74.05	63.14	50.94	41.50
TB3	1270.2	1252.5	1161.0	1103.6	1034.6
P8	3.096	3.020	2.777	2.558	2.423
T8	1387.5	1364.1	1272.5	1198.6	1127.5

A Company

** TF34/T7 STUDY A1 **
ESTIMATED PERFORMANCE LYNN MASS. APRIL 26, 1979

CASE	340.0000	341.0000	342.0000	343,0000	344.0000
ALT	45000.0	45000.0	45000.0	45000.0	45000.0
XM	0.8000	0.8000	0.8000	0.8000	0.8000
ERAM1	1.0000	1.0000	1.0000	1.0000	1.0000
WB30	0.	0.	0.	0.	0.
PAMB	2,139	2.139	2.139	2.139	2,139
TAMB	389.97	389.97	389.97	389.97	389.97
P2	3,261	3.261	3.261	3.261	3.261
T2	440.08	440.08	440.08	440.08	440.08
PWSD	2689.7	2541.2	2124.6	1556.1	1107.3
FPWSD .		2885.2	2306.6	1608.2	1082.2
87C	0.3723	0.3719	0.3725	0.3827	0.4039
ESFC	0.3248	0.3276	0.3431	0.3703	0.4133
WFT	1001.4	945.1	791.3	595.6	447.2
FN	223.37	195.42	103.35	29,58	-14.24
W1	12,686	12.302	10.850	9,169	7.830
XNL	11827.	11827.			
PB3	79.69	76.56	10959. 64.91	9464.	8072.
TB3	1277.3	_ •		52,58	42,68
PB	3-163	1259,5	1187.4	1111.1	1042.7
T8	1383.0	3.080 1350-3	2.812	2.585	2,442

CASE	345.0000
ALT	0 🕳
XM	0.
ERAM1	1.0000
WB 30	0.
PAMB	14.696
TAMB	549.47
P2	14.696
12	549.47
PWSD	7596-4
EPWSD	8037.3
SFC	0.4450
ESFC	0.4206
WFT	3380-3
'FN	1102.20
W1	43.997
XNL	12173.
	278.28
PB3	
TB3	1407-9
P8	16.639
T8	1557-1

DISTRIBUTION LIST

REPORT NO. NADC-79133-60 AIRTASK NO. A03P-03PA/001E/7W0880-001 WORK UNIT NO. XM201

		No. of Copies
MAVAIR	•	2
DTIC		12
NAVAIRFROPCEN	•	1
NASA, Langley Research Center	•	1
NASA, Lewis Research Center	. •	1
NASA, Headquarters	•	1

UNCLASSIFIED